

### PROTECTIVE WEAR FOR ALL YOUR NEEDS



### **GLOVES- VESTS- BOOTS- COVERALLS- RAINWEAR**





### **Introduction to Seattle Glove**

For the past 20 years, Seattle Glove Inc., has been building our brand of general safety products, servicing and preventing injuries to industries/manufacturers in North America. From individuals pruning their lawn to construction workers, line assemblers, food processors, sheet metal fabricators, automotive workers, oil and gas industry and welding technicians, our goal is to find the right safety product for your specific application. As we continue to grow and expand, our basic principles are still in practice today:

Value:	<i>Conduct our business with integrity.</i> We consistently explore options to cut our operational costs while delivering to our customers – a total cost savings by offering a wide range of quality safety products.
Convenience:	Through the proprietary one-stop shop model, we offer distributors convenience, cost-savings, efficiency and quality assurance.
Service:	We are devoted to become a leader in gloves, protective garments, personal protection and safety equipment; our talented workforce is committed to superior service and knowledge, supported by exceptional resources, tools, and product knowledge.

As we continue to grow and expand our product line, we have added safety products that are more comfortable while minimizing risk of injuries. We are proud of our product expansion but also see a tremendous opportunity for future growth. We are a full line glove company (leather, cotton, PVC, latex, nitrile and vinyl disposable, Neoprene, cut protection and anti-fatigue gloves). With our expanding selection of protective garments (Tyvek, Fire Retardant Coveralls, Micro-oorous, SMS and polyoropylene), safety oroducts (PVC boots, rubber boots, safety yests, rainwear and caution &

Micro-porous, SMS and polypropylene), safety products (PVC boots, rubber boots, safety vests, rainwear and caution & danger tapes), we strive in becoming a "One-Stop" shop for our distributors.

We sell our product to safety equipment distributors and ship through two distribution centers (Mukilteo, Washington and Macedonia, Dhio). This enables us to service our customers by expediting deliveries.

Seattle Glove, Inc. is proud of the progress we have made in integrating new products that minimize injuries while enhancing productivity to a wide range of industries/manufacturers. We will continue our dedication in research and product development ensuring a safer environment for industries/manufacturer workers.

At Seattle Glove Inc., we take pride in our service and knowledge. Our staff will help you ascertain which of our broad range of products will best suit your needs.

Sincerely,

Thieu H. Tran President



### **ICONS**

Using our new icon system you will easily be able to spot the safety features that matter most to you. The icons below are found throughout the catalog to better help you find the perfect product. The color system easily identifies product categories by page.



**Dil Resistant** 

Lined for Warmth

Made for Hot Conditions

Impact Resistant

Anti-Vibration

Made with DuPont™ Kevlar®



Ъ

Fire Retardant

EN 388 EN388 Rated INSULATED DRIVERS LEATHER PALMS WELDERS MECHANICS/IMPACT JERSEYS **HI-VIS COTTON** CHORES INSPECTORS COATED STRING KNIT CUT RESISTANT SUPPORTED NITRILE DISPOSABLE PVC RAINWEAR / BOOTS

LEATHER DRIVERS

WELDING APPAREL

COVERALLS



### 8464LH Premium Grade Goatskin, Keystone Thumb, Leather Hem. Sizes: XXS-XL



### 5464SB

Premium Grade Deerskin, Split Back, Keystone Thumb, Leather Hem. Sizes: XS-XL

**7950** Gold Goatskin, Straight Thumb, Thumb Strap. Sizes: XS-XL





84640PY Yellow Grain Goatskin, Palm Reinforcement, Keystone Thumb. Sizes: XS-XXL

### 🗠 5464LH

 Premium Grade Deerskin, Keystone Thumb, Leather Hem.
 Sizes: XXS-XXL
 5464LHB
 Premium Grade Black Deerskin, Keystone Thumb, Leather Hem.
 Sizes: XXS-XL
 5364LH
 Quality Grade Deerskin, Keystone Thumb, Leather Hem.
 Sizes: XS-XL



**8564** Premium Grade Elk Skin, Keystone Thumb. Sizes: XS-XXL



4464LH Premium Grain Cowhide, Keystone Thumb, Leather Hem. Sizes: XS-XXL



### **4464DP**

Premium Grain Cowhide, Keystone Thumb, Double Palm. Sizes: S-XXL



ERS

DRW

Щ

### 4424LH

Premium Grain Cowhide, Pull Strap Back, Keystone Thumb, Leather Hem. Sizes: XS-XL



Kevlar® Sizes:

### **4424DPK** Premium Grain Cowhide, Keystone Thumb, Palm Reinforcement, Kevlar® Sewn. Sizes: S-XL





**4420** Premium Grain Cowhide, Pull Strap Back, Straight Thumb. Sizes: S-XL



**4324BT** Full Grain Driver, Keystone Thumb, Ball and Tape Back. Sizes: S-XL





4360/CAN5

Grain Cowhide, Straight Thumb, 5" PE Cuff. Sizes: M-XL



### 4364

**COWHIDE DRIVERS** 

B Grade Grain Cowhide, Keystone Thumb. Sizes: XS-5XL 4264

Regular Grade Grain Cowhide, Keystone Thumb. Sizes: XS-XXL

### 4064

Standard Grain Cowhide, Keystone Thumb. Sizes: XS-XXL



### 4435K Premium Grain Cowhide, Wing Thumb, Kevlar® Kevlar® Sewn.

Sizes: S-XXI

### 4335

4360

4260

Thumb. Sizes: S-XXL 4060

Sizes: S-XXL

Sizes: XS-XXL

B Grade Grain Cowhide, Straight Thumb.

Regular Grade Grain Cowhide, Straight

Standard Grain Cowhide, Straight Thumb.

B Grade Grain Cowhide, Wing Thumb. Sizes: S-XXL

### 4235

9

Regular Grade Grain Cowhide, Wing Thumb. Sizes: S-XL



### 5320

Premium Grain Cowhide, Wing Thumb, Natural Cotton Drill Back. Sizes: S-XL



3210 Select Russet, Split Shoulder Leather, Straight Thumb. Sizes: S-XL



3264 Select Pearl, Split Shoulder Leather, Keystone Thumb. Sizes: XS-XĹ



Select Russet, Split Shoulder Leather, Keystone Thumb, Ball and Tape Back. Sizes: S-XI





4364SBK B Grade Grain Leather Palm, Split Back, Kevlar®

Keystone Thumb, Leather Hem, Kevlar® Sewn. Sizes: S-XL

4264SB Regular Grade Grain Driver, Keystone Thumb, Split Back. Sizes: XS-XXL

### 4364PSB

ERS

CDW

B Grade Grain Cowhide, Reinforced Palm, Keystone Thumb, Split Back. Sizes: S-XXI



4335SB B Grade Grain Leather Palm, Split Back, Wing Thumb. Sizes: S-XL

**4264LBSB** 

Regular Grade Grain Driver, Light Brown, Split Back, Keystone Thumb. Sizes: S-XXL





Full Synthetic Leather Driver, Keystone Thumb. Sizes: XS-XL



Keystone Thumb.

Sizes: XS-XI

6460 Grain Pigskin, Straight Thumb. Sizes: S-XL

6464 Premium Grain Pigskin, Keystone Thumb. Sizes: S-XL 6364

Regular Grain Pigskin, Keystone Thumb. Sizes: S-XXL

6464LHK Kevlar®



Premium Grade Pigskin, Keystone Thumb, Leather Hem, Kevlar® Sewn. Sizes: XS-XXL



### 💺 6464KWSR

Grain Pigskin Driver, Keystone Thumb, 3M Reflective Tape, Drange Mesh Back. Sizes: S-XXL



### 5110SR

HI-VIS DRIVERS

Grain Pigskin, Wing Thumb, 3M Reflective Tape, Drange Nylon Back and Safety Cuff. Sizes: S-XXL



GHV64

Grain Pigskin, 3M Reflective Tape, Keystone Thumb, Green Mesh Back. Sizes: S-XXL

### GHV64BT

Grain Pigskin, 3M Reflective Tape, Green Nylon Back and Safety Cuff. Sizes: S-XXL





### **4364FT**

B Grade Grain Cowhide, Keystone Thumb, Orange Hi-Vis Finger Tips. Sizes: S-XXL

### ▶9-4364FTC

B Grade Grain Cowhide, Keystone Thumb, Drange Hi-Vis Finger Tips, 4D Gram Thinsulate Lined. Sizes: S-XXL

### 4364HVOF

B Grade Grain Cowhide, Keystone Thumb, Orange Hi-Vis Finger Tips, "WATCH YOUR HANDS" Logo. Sizes: XS-XXL

### 6364HVFTLO

Grain Pigskin, Keystone Thumb, Orange Hi-Vis Finger Tips, "WATCH YOUR HANDS" Logo. Sizes: S-XXL



4364HV0F

### 🏲 4364GHV

B Grade Grain Cowhide, Keystone Thumb, Green Hi-Vis Finger Tips, "WATCH YDUR HANDS" Logo . Sizes: S-XXL



## HI-VIS DRIVERS



Sizes: XS-XXL

9-4264R

Sizes: S-3XL

9-4364R

Sizes: S-XL

Red Fleece Lined.

Grain Cowhide, Keystone Thumb,

B Grade Grain Cowhide, Keystone

Thumb, Red Fleece Lined.

DRIVERS

ED

**NSULA** 

Premium Grain Cowhide, Keystone

Thumb, Thinsulate Lined, Leather Hem.

### 9-4464LHR Premium Grain Cowhide, Keystone Thumb, Red Fleece Lined, Leather Hem. Sizes: S-XL

9-4360N B Grade Grain Cowhide, Straight Thumb, Cotton Thermal Lined. Sizes: S-XL



9-4360R B Grade Grain Cowhide, Straight Thumb, Red Fleece Lined. Sizes: S-3XL



Grain Pigskin, Keystone Thumb, Red Fleece Lined. Sizes: XS-XXL

9-6464LHKT Premium Grain Pigskin, Keystone Thumb, 100 Gram 3M Thinsulate Kevlar® Lined, Kevlar® Sewn, Leather Hem.

Sizes: XS-XXL



Russet Split Shoulder Leather, Straight Thumb, Pile Lined. Sizes: S-XL

Keystone Thumb, Red Fleece Lined.

### 9-4364PSB

Grain Cowhide Leather Palm, Split Back, Keystone Thumb, Pile Lined, Leather Hem. Sizes: S-XXL



Sizes: XS-XL 16

9-3214R Russet Split Shoulder Leather,







**9-5275SR** Grain Pigskin, 3M Reflective Tape, Lined, Orange Back, Orange Knit Wrist. Sizes: S-XXL



**9-5275HV** Premium Grain Pigskin, 3M Reflective Tape, Lined, Orange Back, Orange Knit Wrist. Sizes: S-XL



**9-GHV64KW** Grain Pigskin, 3M Reflective Tape, Green Nylon Back, Knit Wrist, TR2 Lining. Sizes: S-XXL



**9-GHV64BT** Grain Pigskin, 3M Reflective Tape, Green Nylon Back and Safety Cuff, TR2 Lining. Sizes: S-XXL



### **9-7950B** Premium Gold Goatskin, Straight Thumb, Thumb Strap, Lined. Sizes: XS-XL





**9-5464LHTH** Premium Deerskin, Keystone Thumb, 40 Gram 3M Thinsulate Lined, Leather Hem. Sizes: XS-XXL





### 5220

Premium Grain Cowhide, 2.5" Rubberized Safety Cuff. Sizes: S-XL 5221

4.5" Gauntlet Cuff. Sizes: S-XL

# LEATHER PALMS

Grain Cowhide, 2.5" Rubberized Safety Cuff, Split Back. Sizes: S-XXL 5211SB

4.5" Gauntlet Cuff. Sizes: S-XL

5210SB

5110 Split Piaskin Leather Palm, 2.5" Cuff. 5111

Split Pigskin Leather Palm, 4.5" Cuff.





Grain Cowhide, Reinforced Palm, 2.5" Rubberized Safety Cuff.



5275 Grain Pigskin, 2.5" Pasted Safety Cuff.



### 1400

3/4 Leather Back, 2.5" Rubberized Safety Cuff, Kevlar® Sewn. Sizes: L & XL 1401 4.5" Gauntlet Cuff, Kevlar® Sewn. Sizes: L & XL

1420 Kevlar®

### Full Leather Back, 2.5" Rubberized Safety Cuff, Kevlar® Sewn. Sizes: S-XL 1421

4.5" Gauntlet Cuff, Kevlar® Sewn. Sizes: L & XL



1440 Full Feature Gunn Cut. 2.5" Kevlar® Rubberized Safety Cuff, Kevlar® Sewn. Sizes: S-XL

> 1441 4.5" Gauntlet Cuff, Kevlar® Sewn. Sizes: S-XL



1490 Double Leather Palm and Fingers, 2.5" Kevlar® Rubberized Safety Cuff, Kevlar® Sewn. Sizes: S-XL 1491 4.5" Gauntlet Cuff, Kevlar® Sewn. Sizes: S-XL





1358 Full Leather Back, 2.5" Rubberized Safety Cuff. Sizes: S-XXL 1358G 4.5" Gauntlet Cuff. Sizes: S-XXL

1345

1345G

3/4 Leather Back, 2.5"

Rubberized Safety Cuff.

4.5" Gauntlet Cuff.

### **1370**

Green Leather Double Palm. 2.5" Rubberized Safety Cuff. Sizes: S-XL **1371** 4.5" Gauntlet Cuff. Full Feature Gunn Cut, Stripe Fabric Back, Knit Wrist.



Full Feature Gunn Cut, 2.5" Rubberized Safety Cuff. Sizes: S-XL **1361** 4.5" Gauntlet Cuff.



Inside Double Palm, Orange Canvas Back, 2.5" Rubberized Safety Cuff. Sizes: S-XXL 

 1260

 Full Feature Gunn Pattern,

 2.5" Rubberized Safety Cuff.

 1260B

 Regular Shoulder Leather,

 2.5" Rubberized Safety Cuff.

 1261

 4.5" Gauntlet Cuff.

1060 Clute Pattern, Stripe Fabric Back,

Blue Knit Wrist, Men's. 1059-Ladies

### 1075

Clute Pattern, Yellow Canvas Back, Knit Wrist, Men's. 1074-Ladies



Green Leather Double Palm, 2.5" Rubberized Safety Cuff. **1270P** Green Leather Double Palm, Joint Construction, 2.5" Rubberized Safety Cuff. Size: L-2XL **1270PW-Ladies 1271P** 4.5" Gauntlet Cuff.

**SELECT SHOULDER LEATHER PALMS** 

Full Feature Gunn Pattern, Yellow Canvas Back, 2.5" Rubberized Safety Cuff. Sizes: S-XXL 1251 4.5" Gauntlet Cuff.



Regular Shoulder Leather, Gunn Pattern, 2.5" Rubberized Safety Cuff. Sizes: XS-XXL 1160LHO-Left Hand Only Sizes: L & XL 1160RHO-Right Hand Only Sizes: L & XL 116**D**S

Economy Leather Palm, 2.5" Pasted Safety Cuff.

### 1161S

**REGULAR LEATHER PALMS** 

Economy Leather Palm, 4.5" Pasted Cuff. 1160PE

Leather Palm, 2.5" P.E. Cuff. Sizes: S, L &XL





**1245** 

Knit Wrist. Sizes: M-XL



Regular Shoulder Leather, Reinforced Palm, 2.5" Pasted Safety Cuff.









**1140** Regular Shoulder Leather, Gunn Pattern, 2.5" Washable Safety Cuff. Sizes: S- XL



Select Blue Shoulder Leather, Nylon/Foam/Polyester Lined, Safety Cuff. Sizes: M-XL

## INSULATED LEA

PALMS

THER

9-5275THK5
 Premium Grain Pigskin,
 40 Gram 3M Thinsulate Lined,
 5" Knit Wrist.
 Sizes: S-XXL

9-1260P

Select Shoulder Leather,

Pile Lined, Safety Cuff.



9-5275TH
 Premium Grain Pigskin,
 3M Thinsualte Lined, Safety Cuff.
 Sizes: S-XXL



► 9-5210P Grain Cowhide, Pile Lined, Stripe Fabric Back, Safety Cuff.





### 5420LCK

Kevlar® Premium Grain Cowhide, Split Leather, 4.5" Gauntlet Cuff, Kevlar® Sewn. Sizes: XS-XXL **5220LCK** B Grade Grain Cowhide. Sizes: S-XL



### 5420SC

Premium Grain Cowhide Leather Palm and Back, Wing Thumb, Split Safety Cuff. Sizes: S-XXL



Fremium Grain Cowhide, Straight Kevlar® Thumb, Split Leather Gauntlet Cuff, Kevlar® Sewn. Sizes: XS-XXL



Kevlar® 8465LCK Premium Grain Goatskin, 4.5" Blue Split Cuff, Kevlar® Sewn. Sizes: S-XL



**7270K** Select Blue Shoulder Leather, Foam Lined, Kevlar® Sewn.

**85** Top Grain Gold Elk Skin, Insulated Back, Unlined Palm, Fully Welted Seams, Thumb Strap, Leather Cuff. Sizes: S-XL

**PREMIUM WELDERS** 

Kevlar® Glove, Kevlar® Sewn. Sizes: S-XL **7475K** Russet Side Split, Kevlar® Sewn, Sock Lined, Reinforced Thumb and Palm. **7275K** Select Russet Shoulder Leather, Kevlar® Sewn.

7480K-RY Side Split, Black Fire Retardant Lining, Kevlar® Sewn, Reinforced

Straight Thumb. Sizes: S-XXL



### 7210

Select Pearl Shoulder Leather, Wing Thumb, Fully Lined. **7110** Regular Pearl Shoulder Leather. **7250K** Russet Shoulder Leather, Kevlar® Sewn, Sock Lined, Wing Thumb. **7250** Russet Shoulder Leather, Sock Lined, Wing Thumb.









MCG26

MCG40

Sizes: XS-XXL

Sizes: S-XXL

HVGMC20

Sizes: S-XXL

Lined. Sizes: S-XXL

9-BMC20

Padding, Lined. Sizes: S-XXI

9-HVGMC20

Black Split Goatskin, Black Spandex Back, Velcro Closure. Sizes: S-XXL

Premium Grain Goatskin, Black

Premium Split Goatskin, Double

G-Force

Palm, Black Spandex Back.

Green Hi-Vis, Black Synthetic

Leather, Foam Palm Padding.

Green Hi-Vis, Black Synthetic

Leather, Foam Palm Padding,

Black Mechanic Style, Black

Synthetic Leather, Foam Palm

Spandex Back, Velcro Strap.



# and the





### MCD22

Premium Deerskin Palm, Reinforced Thumb and Fingertips, Black Spandex Back, Velcro Closure. Sizes: XS-XXL

### MCDV24

Premium Deerskin Palm, Anti-Vibration Gel Palm, Reinforced Thumb and Finger Tips, Black Spandex Back, Velcro Closure.



### MCDB23

Black Deerskin, Black Spandex Back, Velcro Closure.

Sizes: M-XXL

### MCDVB25

Black Deerskin, Black Spandex Back, Anti-Vibration Gel Palm, Velcro Closure. Sizes: M-XXL

### MC18

Synthetic Leather, Black Palm, Reinforced Thumb and Fingertips, Knuckle Band, Blue Spandex Back, Velcro Closure. Sizes: S-XXL MECHANICS

### MCV20

Synthetic Leather, Black Reinforced Palm, Thumb and Fingertips, Blue Spandex Back, Velcro Closure. Sizes: S-XXL

### MCP48

Premium Grain Pigskin, Blue Spandex Back, Velcro Strap. Sizes: XS-XXL



G-Force



GR2010 Green Hi-Vis, Molded TPR Fingers, Synthetic Leather, EVA Foam Palm, Velcro Closure. Sizes: S-XXL

# shock grip-impact

OR200 Drange Hi-Vis, Molded TPR Fingers, Synthetic Leather, EVA Foam Palm, Velcro Closure. Sizes: S-XXL



**OR500** Orange Hi-Vis, Molded TPR Fingers, Synthetic Leather, EVA Foam Palm, Isoliquid Oil Repellant, Slip On Style. Sizes: S-3XL

GR2012

Sizes: S-3XL

Green Hi-Vis Impact Glove, Molded TPR Fingers, Corded Cotton Palm, EVA Foam Padded Back, Slip On Style. Sizes: S-3XL

Green Hi-Vis, Molded TPR Fingers, Synthetic Leather, EVA Foam Palm

Padding, Slip On Style.



J2109PDM Brown Jersey With Mini Dots, Clute Pattern, Men's. J2109PDMW-Ladies







**J2114** Red Fleece Lined Brown Jersey, Slip On Style, Men's.

J1037 Two Piece Reversible Natural Jersey, Men's. J1037-XL– Jumbo J1047-Ladies

D3018N0BT

Nap-Out, Double Palm, Band Top. **D3D2ONOPE** Double Palm, Nap-Out, 4.5" PE Gauntlet Cuff. **D3D2ONOKW** Double Palm, Nap-Out, Knit Wrist.





D3DI8CDKW Nap-In Corded Double Palm, Bleached White, Knit Wrist. D3DI8CDBT Nap-In Corded Double Palm, Bleached White, Band Top. D3D2DCDRKW Corded Double Palm, Red Knit Wrist. D3D2DCDRKW-XL DI8NCR Corded Double Palm, Unbleached, Knit Wrist. D2DCDKW Corduroy , Knit Wrist, Nap-In, Semi-Bleached.

D3018NI Nap-in Double Palm, Knit Wrist. D3018NIR Nap-in Double Palm, Red Knit Wrist. D3018NIR-XL D3018ND Nap-Dut Double Palm, Knit Wrist.





C8608PD 8oz. Canvas With Black Polka Dots, Knit Wrist, Men's. C8608PDW-Ladies C8610PD 10oz. Canvas With Black Polka Dots, Men's. C8610PDC 10oz. Canvas With Orange Polka Dots, Men's.



**ORA10PD** 10oz. Fluorescent Orange

10oz. Fluorescent Orange Canvas, Orange Dots, Knit Wrist.

C7608

C7610

C7610BT

C7612

C7608-XL C7608W-Ladies

8oz. Canvas Straight Thumb, Knit Wrist, Men's.

10oz. Canvas, Straight Thumb, Men's.

12oz. Canvas, Straight Thumb, Men's.

10oz, 2" Band Top, Men's.

**GREIOPD** 10oz. Fluorescent Green Canvas, Green Dots. Knit Wrist.



### GCO2O

Fluorescent Green, Corduroy, Knit Wrist. GC020-TC

Fluorescent Green, Corded Double Palm, Cotton/Polyester Corduroy, Knit Wrist. **GCD2D-TCPD** 

Fluorescent Green, Corduroy Double Palm, Black Dots, Knit Wrist.

### YC020

Fluorescent Yellow, Corduroy, Knit Wrist. YCO2O-TC Fluorescent Yellow Corded Double Palm,

OCO20-TC

OCO2O-TCPD

Fluorescent Orange, Corduroy, Knit Wrist.

Fluorescent Orange, Corded Double Palm,

Cotton/Polyester Corduroy, Knit Wrist.

Fluorescent Orange, Corduroy Double

Palm, Black Dots, Knit Wrist,

Cotton/Polyester Corduroy, Knit Wrist.





### G318K

Heavy Weight Golden Chore Palm, 3 Finger Canvas Back, Knit Wrist. **G318BT** 

Heavy Weight Golden Chore Palm, 3 Finger Canvas Back, 2" Band Top.



Heavy Weight Golden Chore Palm, 3 Finger Canvas Back, Gauntlet Cuff.

CHORES



**G3118K** Heavy Weight Golden Chore, Knit Wrist.



**G3118GK** Heavy Weight Green Chore, Knit Wrist.



Hot Mill, Double Layer, Band Top.

H524G Hot Mill, Double layer, Gauntlet Cuff. H524KW Hot Mill, Double Layer, Knit Wrist.



H524BT





H532G Heavy Weight Hot Mill, Burlap, 4.5" Plasticized Cuff. H532KW Heavy Weight Hot Mill, Triple Layer, Burlap, Knit Wrist. H532BT Heavy Weight Hot Mill, Burlap, Band Top. H532BTC Heavy Weight Hot Mill, All Cotton, Band Top.



H524KW



14814 14" Light Weight Lisle Inspectors, Bleached, Men's.



Light Weight Lisle Inspectors, Bleached, Men's.

Medium Weight Lisle Inspectors, Hemmed, Men's

Heavy Weight Lisle Inspectors, Hemmed, Men's.

14800

14810

14820

14800W-Ladies

14810W-Ladies

14820W-Ladies



N4980 Full Fashion Stretch Nylon Inspectors, Hemmed, Men's. N4980W-Ladies

N4900 Stretch Nylon Inspectors, Reversible, Hemmed, Men's. N4900W-Ladies





### G600

Medium Weight, Grey, Cotton/Polyester String Knit. Sizes: S, L

### G950

Heavy Weight, Grey, Cotton/Polyester String Knit. Sizes: XS, S, L

### S-16

Medium Weight, Cotton/Polyester String Knit. Sizes: S-L

### S-0316

Premium Medium Weight, Cotton/Polyester String Knit. Sizes: XS-XL

### S-0320

Bleached White, Medium Weight, Cotton/Polyester String Knit.

### Sizes: S-L **S-725P**

100% Polyester String Knit, Medium Weight. Sizes: S-XL



### G600D

Medium Weight Grey Knit, One Side Dots. Sizes: S, L

### G600DD

Medium Weight Grey Knit, PVC Dots On Both Sides. Size: L



Natural White Cotton/Polyester String Knit With PVC Dots On One Side. Sizes: S. L

### S-16DD

Natural White Cotton/Polyester String Knit With PVC Dots On Both Sides. Sizes: S. I

### S-03160

Natural White Cotton/Polyester String Knit With PVC Dots On One Side. Premium Quality. Sizes: S, L

### S-0316DD

Natural White Cotton/Polyester String Knit With PVC Dots On Both Sides. Premium Quality. Sizes: S, L, XL



### T624K

Terrycloth String Knit, Seamless, Reversible, Loop-Out, Knit Wrist. **T24LI** 

Terrycloth String Knit, Seamless, Reversible, Loop In, Knit Wrist. Sizes: S, L



### 40

Economy Blue Latex Palm and Fingertips, Natural White Cotton/Polyester Knit Liner, 10 Gauge. Sizes: S-XL

### 300BLP

Black Latex Palm and Fingertips, Fluorescent Yellow Cotton/Polyester Shell, 10 Gauge. Sizes: S-XL

### S-0319CC

Heavy Weight Orange String Knit With PVC Honey Comb Pattern. Sizes: S-XL



Blue Latex Palm and Fingertips, Natural White Cotton/Polyester Knit Liner, 10 Gauge. Sizes: S-XL

### ARCTIC-OR

10 Gauge Orange, Fleece Liner, Black Micro-Foam, Latex Palm. Sizes: S-XL

### 9-400

Poly/Cotton String Knit, Rubber Coated, Jersey Liner,10 Gauge. Sizes: S-XL

### BPU4

Black PU Palm Coated, Black Nylon, Knit Wrist. Sizes: XS-XXI

### GPU3

Grey PU Palm Coated, Grey Nylon, Knit Wrist. Sizes: S-XXL

### WPU4

White PU Palm Coated, White Nylon, Knit Wrist. Sizes: S-XL



Black Nitrile Foam Dipped Palm Coated, 13 Gauge, Nylon Liner. Sizes: 6-10



NF300 Grey Nitrile Foam Dipped Palm Coated, 13 Gauge, Nylon Liner. Sizes: 6-11

### contour + grip

### NMF506

15 Gauge Grey Nylon, Black Nitrile Micro-Foam Palm Coated. Sizes: 7-11



Kevlar® K200

Regular Weight, 100% Kevlar®, One Side Dots. Sizes: S, L

### K20DD

Regular Weight 100% Kevlar®, Two Sided Dots. Sizes: S-XI KC24D

Regular Weight Kevlar® /Cotton Blend String Knit, One Side Dots. Sizes: S, L

### KC24DD

Kevlar®

**Kevlar**®

Regular Weight Kevlar®/Cotton Blend String Knit, Two Sides Dots. Sizes: S. L



K20BP Regular Weight, 100% Kevlar®,Blue Nitrile Palm Coated. Sizes: S-XI



Kevlar®/Cotton Blend Terry, Loop Out. Sizes: M.L



Regular Weight Kevlar® / Cotton Blend String Knit. Sizes: S, L

### K20

Regular Weight, 100% Kevlar®. Sizes: S-XL

### K13

Light Weight, 13 Gauge, 100% Kevlar®. Sizes: S. I



Kevlar® KS10 10" Kevlar® Sleeve, 2 Ply. KS14 14" Kevlar® Sleeve, 2 Ply. KS14T-Thumb Hole KS18 18" Kevlar® Sleeve, 2 Ply. KS18T-Thumb Hole KEV24T 24" Kevlar® Sleeve, 2 Ply, Thumb Hole.



AB22T Abratex Sleeve, Cut Resistant, 22". Thumh Hole. AB22T-XL

**SPARTACUS** 

### EN 388 SPARTACUS HPPE, Cut Resistant Glove, Polyurethane Palm Coated, Cut Level 3. EN388: 4342 Sizes: S-2XL

### EN 388 WDP3

White Cut Resistant Knit, White Polyurethane Palm Coated, Cut Level 3, 13 Gauge. EN388:4344 Sizes: S-XXL



### GDYP4 EN 388

Cut Resistant Knit, Grey Polyurethane Palm Coated, Cut Level 3, 13 Gauge. EN388:4344 Sizes: S-3XL

### EN 388 **DYPU5**

Heavy Weight, Cut Resistant Knit, Grey Polyurethane Palm Coated, Cut Level 4, 13 Gauge. EN388:4444 Sizes: S-XXL







EN 388 CRBN3 HPPE, Cut Resistant Glove, Nitrile Foam Coating, Cut Level 5. EN388:4543 Sizes: S-5XL

### EN 388 **GBNC5** 4

TAEKI Cut Resistant Knit, Black Nitrile Palm and Knuckle Coating, Cut Level 5, 13 Gauge. EN388: 4543 Sizes: 6-17



### SCPU5 EN 388

Grey Stainless Steel Wire, Grey Polyurethane Palm Coated, Extended Cuff, Cut Level 5. 10 Gauge. EN388: 3541 Sizes: S-XXL

**CUT RESISTANT** 



TK5LP TAEKI Cut Resistant Yarn, EN Cut Level 5, Kevlar® Kevlar® Sewn, Leather Palm, Terry Loop for Heat Resistance. EN388:4542 Sizes: S-XXL

### 43



### V9875KW

SUPPORTED NITRILE

Heavy Weight Blue Nitrile Palm Coated, Jersey Lined, Knit Wrist, Men's. V9875KWS-Ladies V9875BT

Heavy Weight Blue Nitrile Palm Coated, Jersey Lined, 2.5" Safety Cuff, Men's. **V9830** 

Light Weight Blue Nitrile Palm Coated, Interlock Lined, Knit Wrist, Men's. **V9830W-Ladies** 



### Blue Nitrile Cut & Sewn, Slip-On Style. Sizes: M-L V9840W-Ladies Sizes S-L V9860P

Blue Nitrile Cut & Sewn, Perforated Back, Men's. Sizes: M-XL **V9860PW-Ladies Sizes: M-L** 



### V9870BT

Heavy Weight Blue Nitrile Fully Coated, Jersey Lined, 2.5" Safety Cuff, Men's. **V9870BT-XL** 

### V9870RBT

Heavy Weight Blue Nitrile, Rough Finish, Jersey Lined, 2.5" Safety Cuff, Men's.

### V9870KW

Heavy Weight Blue Nitrile, Rough Finish, Jersey Lined, Knit Wrist, Men's.





VI360SP Nitrile Palm Coated, Leather Palm, 2.5" Rubberized Cuff.



Gloves

COVER II as set

atex Disposable

Gloves

100

a statements





V801B

V900BPF



### V800

Vinyl, Industrial Grade, Lightly Powdered. Sizes: S-XL V800PF Vinyl, Industrial Grade, Powder Free. Sizes: S-XL V801B

Blue Vinyl, Industrial Grade, Lightly Powdered. Sizes: M-XXL

### V900

Blue Nitrile, Industrial Grade, Lightly Powdered. Sizes: S-XL V900PF Blue Nitrile, Industrial Grade, Powder Free. Sizes: S-XL V908MPF 8 Mil Nitrile, Medical Grade, Powder Free. Sizes: S-XL V900BPF Black Nitrile, Powder Free, 5 Mil. Sizes: S-XL

### V700

Latex, Industrial Grade, Lightly Powdered. Sizes: S-XL **V70DPF** Latex, Industrial Grade, Powder Free. Sizes: S-XL **V715PF** Heavy Duty Latex, Powder Free, 15MIL, 50/Box. Sizes: S-XL

### DISPOSABLE



D8630-10 Black PVC, Rough Finish, Interlock Lined, 10" Gauntlet. D8630-Knit Wrist D8630-12 12" Gauntlet D8630-14 14" Gauntlet D8630-14RHO 14" Gauntlet, Right Hand Only D8630-14LHO 14" Gauntlet, Left Hand Only D8630-18 18" Gauntlet D8610J

PVC, Rough, Jersey Lining, Knit Wrist. D8630J-12 12" Gauntlet D8630J-14 14" Gauntlet

DG8430J-12 Green PVC, Sandy Finish, Jersey Lined, 12" Gauntlet. DG8430J-14 14" Gauntlet

### D8630XR-12

PVC

Black PVC, Extra Rough Finish, Interlock Lined, 12" Gauntlet.



D8810

Black PVC, Smooth Finish, Interlock Lined, Knit Wrist. D8830-10 10" Gauntlet D8830-12 12" Gauntlet D8830-14 14" Gauntlet D8830-18 18" Gauntlet



D8430-12 Black PVC, Sandy Finish, Interlock Lined, 12" Gauntlet. D8410-Knit Wrist D8430-10 10" Gauntlet D8430-12 12" Gauntlet D8430-14 14" Gauntlet D8410J Black PVC, Sandy Finish, Jersey Lined, Knit Wrist. D8430J-12 12" Gauntlet D8430J-14 14" Gauntlet



Fluorescent Orange PVC, Knit Wrist.





R8870JBT Rubber Coated, Wrinkle Finish, Jersey Lined, 2.5" Safety Cuff. R8870J Rubber, Jersey Lined, Crinkle, Knit Wrist. R8875J

Rubber Fully Coated, Wrinkle Finish, Jersey Lined, Knit Wrist. NF15 15 Mil Green Nitrile, Flock Lined. Sizes: 8-12 NU11 11 Mil Green Nitrile, Unlined. Sizes: 8-12





LY17 17 Mil Yellow Latex, Flock Lined, Pinked Cuff, Sizes: S-XL

LN28 28 Mil Neoprene on Latex, Flock Lined. Sizes: 8-12



### 3001

3 Piece Yellow Rain Suit, .35mm, PVC/ Polyester, Jacket, Detachable Hood and Bib Overall Pants, Corduroy Collar, Storm Fly Front Snaps. Sizes: S-6XL

### BHW30

Black Hip Wader With Plain Toe. Sizes: 7-11

BHW31ST Black Hip Wader With Steel Toe. Sizes: 7-15



17" Yellow Slush Boots, Fabric Lining, Top Strap and Buckle with Bar-Tread Outsole. Sizes: 9-18



### 3060B

Black Rider Rain Coat, .35mm, 60" Long. Sizes: S-6XL

### WB3021

Yellow Rider Rain Coat, .35mm, 60" Long. Sizes: S-6XL

/BODTS

RAINWEAR

### 3048

48" Yellow Raincoat, .35mm, PVC/ Polyester, Detachable Hood, Storm Fly, Front Snaps. Sizes: S-5XL



B16 16" Black PVC, Unlined, Plain Toe. Sizes: 5-14 **BIGST** 16" Black PVC, Unlined, Steel Toe, Sizes: 5-14



### SV01

Surveyor's Safety Vest, Yellow Class II, Polyester, Solid Front, Mesh Back, 2 Pockets, Zipper Closure. Sizes: M-4XL

### SV210IP

EFTV

Z

Yellow Mesh, Class II, Reflective Tape, Inside Pocket, Orange Trim, Zipper Closure. Sizes: M-5XL





### SVO2

Surveyor's Safety Vest, Yellow, Class II, Silver On Orange Backing, Solid Front, Mesh Back, 4 Pockets, Zipper Closure.



### SVOR20IP

Orange Mesh, Reflective Tape, Inside Pocket, Yellow Trim, Zipper, Class II. Sizes: M-5XL



Yellow Caution Tape, 2 Mil, 3" x 1000 **CAUTION-3 3MIL DANGER-2** Red Danger Tape, 2 Mil, 3" x 1000' **DANGER-3 3 MIL** 



### SV204

Yellow Mesh, Class II, Reflective Tape, Velcro Closure. Sizes: M-GXI



### SV017

Surveyor's Vest, Yellow, Class II, Solid Polyester Front and Back, 4 Pockets, Zipper Closure. Sizes: M-5XI

### SV-GL260 👎

Lime Green, Class II, Long Sleeves, Broken Reflective, Front Pocket. Sizes: S-5XL



### SV2200P

Yellow Mesh, Class II, Reflective Tape, Outside Pockets, Zipper Closure. Sizes: M-5XL



### SV300NP

Yellow Mesh, Class III, Reflective Tape, Sleeves, No Pockets. Sizes: M-6XL

### SV-GS250

Lime Green, Class II, Short Sleeves, Broken Reflective, Front Pocket. Sizes: S-5XL



### SV230Y0P

Lime Green, Solid 100% Polyester Front, Mesh Back, Class II, & Pockets, DOT Stripes. Sizes: M-5XL



SV5TA Lime, 5 Point Break Away, Class II, Reflective Tape.

Sizes: M- 4XL



**SVKB** Universal Royal Blue Vest.



Drange, Solid 100% Polyester Front, Mesh Back, Class II, & Pockets, DOT Stripes. Sizes: M-5XL



SVOR5TA Drange, 5 Point Break Away, Class II, Reflective Tape. Sizes: M– 4XL



**SVG** Universal Green Vest.



72 Leather Cape Sleeve. Sizes: M-XXL 73-14 14" Leather Bib. 73-20 20" Leather Bib.

**91-30** 30" Welding Jacket. Sizes: M-XXL

Universal Orange Vest.

SVD



### MIC412C

Microporous Coverall, Zipper Front. Sizes: S-5XL

MIC414C Microporous Coverall, Attached Hood and Boots, Elastic Wrists. Sizes: M-6XL

### MIC417C

Microporous Coverall, Elastic Wrists and Ankles. Sizes: S-5XL MIC428C

Microporous Coverall, Attached Hood, Elastic Wrists and Ankles. Sizes: M-5XL

E8414C SMS Coverall, Attached Hood and Boots. Sizes: M-4XL E8417C SMS Coverall, Elastic Wrists and Ankles. Sizes: M-4XI **SMS8417B** Blue SMS Coverall, Elastic Wrists and Ankles. Sizes: S-5XL



### PP25CO

White Polypropylene Coverall, Collar and Zipper Front, Elastic Wrists. Sizes: L-4XL PP25CB Light Weight, White Polypropylene Coverall, Elastic Wrists, Zipper, Attached Hood and Boots. Sizes: L-5XL





Different jobs require various levels of protective clothing and Seattle Glove is proud to offer a wide variety of DuPont™ products to address those needs. We are one of a select few wholesalers for DuPont™, which allows us to provide competitive pricing to our distributors.



### CHODSING A GARMENT

Before searching for an appropriate chemical protective garment, a detailed assessment of the nature of the hazard and the working environment is needed. There are different factors such as concentration, temperature, pressure and the work environment that should be matched to the garment's fabric, design and seam construction.

Fabric

- -

ž

### POLYMER COATING BARRIER FILM POLYMER COATING

POLYMER COATING

SARANEIS FILM

POLYMER COATING

### DuPont™ Tvchemℝ

Chemical barrier fabrics specifically engineered for protection over a range of hazards.

DuPont™ Tvvek® Made only by DuPont, it offers superior protection and durability. Tyvek® is 100% high-density polyethylene fibers entangled into a protective material with no fillers or thin films to wear away.

### **Microporous Films**

Bi-laminate with a thin microporous film layer on a spunbonded polypropylene nonwoven, these fabrics offer limited durability-barrier protection is lost when the film laver is abraded.

Taped

sealino.

### SMS (Sounbonded-Meltblown-Sounbonded)

SMS fabrics rely on the meltblown polypropylene layer in the middle of the open tri-laminate polypropylene structure to act as the main filter for particles-limited durability and barrier performance.

### Seam Construction



Seraed or Sewn\* A seam produced when multiple threads are interlocked around the raw edges of two pieces of material for a strong, stress-resistant seam.



Bound\* Tightly sewn with a reinforced outer binding to increase seam strength and barrier. For potential misting exposure of non-hazardous liquids or particle penetration through the seam



Double Taped Both sewn and taned to provide Sewn then taned on the strong chemical resistance inside and outside of the against heavy liquid splashes seam for a very strong and tough seam stress. A sewn chemical- and-stress seam is covered with a strip of resistant seam compatible material by heat

\*Serged and/or bound seams are degraded by some hazardous liquid chemicals, such as strong acids, and should not be worn when these chemicals are present.

### **DUPONT GARMENTS:** LEVELS OF PROTECTION TO MEET YOUR NEEDS



### **DUPONT" TYVEK® AND GENERAL PROTECTION**

	Typic	al ge	neral	indus	trial	hazar	ds/De	escrip	otion	/Exan	ples									
	Non-h	azan							Haz	ardous										
	Particle	s		Aerosol	Light	t liquid sp	alash*		Partie	oles									Aerosol	Flame** resistance
Garment	General dirt A grime	Animal wanta	Sansing & grinding waste	Sprøy paints	Oil 8 graace	Lubricants	. Forthingr	Sewege	Fertilize	Pesticider	Asbestos	Lead	Dromium	Berylian	Mold	Fiberglass	Carbon	Radioactive particles	Isocyanaje	
Tyvek <sup>®</sup>	٠	•	٠	٠	•		٠	٠	٠	٠	•	•	•		•		٠	٠	٠	
ProShield <sup>®</sup> NexGen <sup>e</sup>	0	0	0	•	•		•	•												
ProShield®	0	0	0	0	0	0	0	0												
Tempro®	0	0	0	0	0	0														

Tychem

Tychem TK

Tychem

Tychem

BR

-		N	ID LEVEL				
Durant Tychem			3	*	1	1	a
21 Industrial Chemicals	CAS #	Phys.	Tychem®	Tychem*	Tychem*	Tychem®	Tychen
ASTM F1001	GAD #	Phase	QC*	SL*	F	ThermoPro	CPF 3
Acetone	67-64-1	b	imm.	imm.	>480	>480	>480
Acetonitrile	75-05-8	L	imm.	68	157	>480	imm.
Ammonia	7664-41-7	G	imm.	32	79	>480	12
1, 3-Butadiene	106-99-0	G	imm.	>480	>480	>480	>480
Carbon disulfide	75-15-0	Þ	imm.	imm.	>480	>480	16
Chlorine	7782-50-5	G	imm.	>480	>480	>480	>480
Dichloromethane	75-09-2	L	imm.	imm.	imm.	imm.	imm.
Diethylamine	109-89-7	Ľ.	imm.	12	>480	>480	>480
N, N-Dimethylformamide	68-12-2	L	imm.	78	>480	>480	>480
Ethyl acetate	141-78-6	Ŀ	imm.	imm.	>480	>480	>480
Ethylene oxide	75-21-8	G	imm.	imm.	65	>480	>480
n-Hexane	110-54-3	L	imm.	imm.	>480	>480	>480
Hydrogen chloride	7647-01-0	G	imm.	>480	>480	>480	>480
Methanol	67-56-1	L	imm.	>480	77	>480	imm.
Methyl chloride	74-87-3	G	imm.	>480	>480	>480	>480
Nitrobenzene	98-95-3	L.	imm.	102	>480	>480	>480
Sodium hydroxide, 50%	1310-73-2	L	>480	>480	>480	>480	>480
Sulfuric acid, 98%	7664-93-9	L	>480	>480	>480	>480	>480
1, 1, 2, 2-Tetrachloroethylene	127-18-4	L	imm.	imm.	>480	>480	>480
Tetrahydrofuran	109-99-9	L	imm.	imm.	464	>480	>480
Toluene	108-88-3	L	imm.	imm	>480	>480	>480
Chemical Warfare Agents*							
Lewisite (L)	541-25-3	L	nt	>360	360 <sup>2</sup>	360 <sup>2</sup>	120
Mustard (HD)	505-60-2	L	nt	180'	>7202	>720*	120'
Tabun (GA)	77-81-6	L	nt	nt	>720*	>720*	nt
Sarin (GB)	107-44-8	L	nt	>3601	>7204	>7204	1203
Soman (GD)	99-64-0	L	nt	nt	>720*	>7204	>4803
VX Nerve Agent	50782-69-9	1	nt	>4801	>7204	>7204	>480

### Index of codes:

**DNT<sup>TM</sup> PERMEATION DATA** 

> > = greater than, imm = immediate (<10 minutes), nt = not tested, L = liquid, G = gas

\*Serged and/or bound seams are degraded by some hazardous liquid chemicals, such as strong acida, and should not be worn when these chemicals are present

	naracters provide t of the product.	he basic	ADDITIONAL PRODUCT DETAIL The remaining characters provide additional product detail and complete the full part number.						
ΤY	120	S	WH	LG	0025	00			
Fabric The (inst two characters are the fabric description.	Style DuPont offers a wide array of gament styles— from hoods to aprons and coverals to fully encapsulated suits. Each gament style has a unique three-digit code.	Seam The final character in the base number denotes the seam construction of the garment.	Color Several DuPont fabrics are available in color options; refer to catalog descriptions for details;	Size Many DuPont garments are available in a range of sizes; refer to catalog descriptions for details.	Case court Provides the number of garments per case; refer to catalog descriptions for details.	Options For example, Trade Agreem Act compliant PI designates Individually packaged. Not all option codes are available for all products; refer to catalo descriptions for details.			
	dark blue, <b>GN</b> =	<mark>Color .</mark> green, <b>GR</b> = n		= gray, <b>LB</b> = li		lime yellow			
OD	dark blue, GN = = olive drab, OR S = serged or sev Clothing Si	Color green, GR = n t = orange, SV <u>Seam</u> wn, B = bound,	Abbreviations noss green, GY = silver, TN = ta Abbreviations N = welded, T	' = gray, <b>LB</b> = li an, <b>WH</b> = whit = taped or doo	e, <b>YL</b> = yellow uble taped	lime yellow			
OD	= olive drab, <b>OF</b> S = serged or sev	Color green, GR = n t = orange, SV <u>Seam</u> wn, B = bound,	Abbreviations noss green, GY = silver, TN = ta Abbreviations N = welded, T	' = gray, <b>LB</b> = li an, <b>WH</b> = whit = taped or doo	e, <b>YL</b> = yellow uble taped				
OD	= olive drab, <b>OF</b> S = serged or sev	Color green, GR = n t = orange, SV <u>Seam</u> wn, B = bound,	Abbreviations noss green, GY = silver, TN = ta Abbreviations N = welded, T	' = gray, <b>LB</b> = li an, <b>WH</b> = whit = taped or doo	e, <b>YL</b> = yellow uble taped	ime yellow			
OD S Protective	= olive drab, <b>OF</b> S = serged or sev	Color green, GR = n t = orange, SV <u>Seam</u> wn, B = bound,	Abbreviations noss green, GY = silver, TN = ta Abbreviations N = welded, T	' = gray, <b>LB</b> = li an, <b>WH</b> = whit = taped or doo	e, <b>YL</b> = yellow uble taped				
OD Protective	= olive drab, <b>OF</b> S = serged or sev	Color green, GR = n t = orange, SV <u>Seam</u> wn, B = bound,	Abbreviations noss green, GY = silver, TN = ta Abbreviations N = welded, T	' = gray, <b>LB</b> = li an, <b>WH</b> = whit = taped or doo	e, <b>YL</b> = yellow uble taped	_			
OD Service	= olive drab, <b>OF</b> S = serged or sev	Color green, GR = n t = orange, SV <u>Seam</u> wn, B = bound,	Abbreviations noss green, GY = silver, TN = ta Abbreviations N = welded, T	' = gray, <b>LB</b> = li an, <b>WH</b> = whit = taped or doo	e, <b>YL</b> = yellow uble taped				
OD Protective	= olive drab, <b>OF</b> S = serged or sev	Color green, GR = n t = orange, SV <u>Seam</u> wn, B = bound,	Abbreviations noss green, GY = silver, TN = ta Abbreviations N = welded, T	' = gray, <b>LB</b> = li an, <b>WH</b> = whit = taped or doo	e, <b>YL</b> = yellow uble taped	_			
OD Protective	= olive drab, <b>OF</b> S = serged or sev	Color green, GR = n t = orange, SV <u>Seam</u> wn, B = bound,	Abbreviations noss green, GY = silver, TN = ta Abbreviations N = welded, T	' = gray, <b>LB</b> = li an, <b>WH</b> = whit = taped or doo	e, <b>YL</b> = yellow uble taped	_			
OD Protective	= olive drab, <b>OF</b> S = serged or sev	Color green, GR = n t = orange, SV <u>Seam</u> wn, B = bound,	Abbreviations noss green, GY = silver, TN = ta Abbreviations N = welded, T	' = gray, <b>LB</b> = li an, <b>WH</b> = whit = taped or doo	e, <b>YL</b> = yellow uble taped	_			
OD S Protective	= olive drab, <b>OF</b> S = serged or sev	Color green, GR = n t = orange, SV <u>Seam</u> wn, B = bound,	Abbreviations noss green, GY = silver, TN = ta Abbreviations N = welded, T	' = gray, <b>LB</b> = li an, <b>WH</b> = whit = taped or doo	e, <b>YL</b> = yellow uble taped				
OD S Protective	= olive drab, <b>OF</b> S = serged or sev	Color green, GR = n t = orange, SV <u>Seam</u> wn, B = bound,	Abbreviations noss green, GY = silver, TN = ta Abbreviations N = welded, T	' = gray, <b>LB</b> = li an, <b>WH</b> = whit = taped or doo	e, <b>YL</b> = yellow uble taped	_			
OD S Protective	= olive drab, <b>OF</b> S = serged or sev	Color green, GR = n t = orange, SV <u>Seam</u> wn, B = bound,	Abbreviations noss green, GY = silver, TN = ta Abbreviations N = welded, T	' = gray, <b>LB</b> = li an, <b>WH</b> = whit = taped or doo	e, <b>YL</b> = yellow uble taped				
OD S Protective	= olive drab, <b>OF</b> S = serged or sev	Color green, GR = n t = orange, SV <u>Seam</u> wn, B = bound,	Abbreviations noss green, GY = silver, TN = ta Abbreviations N = welded, T	' = gray, <b>LB</b> = li an, <b>WH</b> = whit = taped or doo	e, <b>YL</b> = yellow uble taped				
OD S Protective	= olive drab, <b>OF</b> S = serged or sev	Color green, GR = n t = orange, SV <u>Seam</u> wn, B = bound,	Abbreviations noss green, GY = silver, TN = ta Abbreviations N = welded, T	' = gray, <b>LB</b> = li an, <b>WH</b> = whit = taped or doo	e, <b>YL</b> = yellow uble taped	_			
OD S Protective	= olive drab, <b>OF</b> S = serged or sev	Color green, GR = n t = orange, SV <u>Seam</u> wn, B = bound,	Abbreviations noss green, GY = silver, TN = ta Abbreviations N = welded, T	' = gray, <b>LB</b> = li an, <b>WH</b> = whit = taped or doo	e, <b>YL</b> = yellow uble taped				

60







SG601

61



SG713C

SG850-18 DuPont Part Number: TY500SWH Tyvek Sleeve, 18", Elastic Wrists. SG713C **DuPont Part Number: TY657SWH** Tyvek Hood, Elastic Face, Covers Shoulders. **TY450S DuPont Part Number: TY450SWH** Tyvek Shoe Cover, Elastic Ankles. SG601 DuPont Part Number: TY 273BWH Tyvek Apron, 28" x 36", Sewn Ties.



**TY450S** 

SG301

SG1140 DuPont Part Number: TY210SWH Tyvek Lab Coat. Sizes: S-5XL SG1101 DuPont Part Number: TY212SWH Tyvek Lab Coat, Snap Front, 2 pockets. Sizes: M-5XL SG301 DuPont Part Number: TY350SWH Tyvek Pants, Elastic Waist. Sizes: M-3XL

### SG1412 SG1417

TYVEK

SG1412

Sizes: M-6XL

Sizes: M-7XL

Sizes: M-5XL

Sizes: M-5XL

SG1428

SG1417

SG1414

DuPont Part Number: TY120SWH

Tyvek Coverall, Collar, Zipper.

DuPont Part Number: TY122SWH

DuPont Part Number: TY125SWH

DuPont Part Number: TY127SWH

Tyvek Coverall, Attached Hood, Elastic Wrists.

Elastic Wrists and Ankles.

Tyvek Coverall, Zipper, Attached Hood and Boots,

Tyvek Coverall, Collar, Zipper, Elastic Wrists and Ankles.

SG1428







SG1414



**TVEK** 





TM120SBU







**QC500BYL** 

NG127SWH

EN  $\mathbf{X}$ CHEM, 

### TEMPRO TM120SBU Tempro FR Coveralls, Blue, Zipper Front. Sizes: L-5XL TM122SBU Tempro FR Coveralls, Hood, Booted, Zipper Front. Sizes: L-2XL TM127SBU Tempro Blue Coveralls, Hood, Elastic Wrists and Ankles. Sizes: 1-7XL

DuPont Tempro

### Sizes: M-5XL QC127SYL

TYCHEM

**QC120SYL** 

Tychem QC Coverall, Yellow, Attached Hood. Elastic Wrists and Ankles. Sizes: L-6XL **QC500BYL** 

Tychem, QC Coverall, Zipper Front, Storm Flap.

Tychem QC 18" Sleeve, 200/Case.

### NEXGEN

NG127SWH NexGen Coverall, Hood, Elastic Wrists and Ankles, 25/Case. Sizes: M-3XL





**GUNN-** Extends glove life keeping seams out of work area; available in continuous and wing thumb; made in leather palm and all leather.

**CLUTE-** Seams on back of glove reduce splitting' holds work area more tightly to palm; one piece palm; made in cotton and leather palm styles.

REVERSIBLE- Gunn pattern with thumb out of side; glove can be worn on either hand.

ERNS

2



STRAIGHT THUMB- Continuous full leather thumb; seam around the thumb. WING THUMB- Thumb out to side; welts added to the seams for strength. KEYSTONE- Thumb set-in as a separated piece, positioned naturally for maximum comfort; thumb seam is reinforced with extra stitching.

### LEATHER TYPES

**GRAIN-** Smooth surface and soft pliable finish giving adequate finger dexterity. **SIDE SPLIT-** Contains few scares, veins and blemishes; more uniform thickness and flexibility. **SHOULDER SPLIT-** Coarse texture leathers; firmer with less uniformity and flexibility than side split. European Directives 89/686/EEC Conception of Personal Protective Equipment (PPE)

PPE are classified in three categories related to the degree of risk they are designed to protect against. The procedure to prove compliance with the requirements of the Directive is specific for each category and is proportional with the risk.



PPE of simple design, where the designer assumes the user can himself assess the level of protection provided against minimal risks, the effects of which are gradual and can be safely and timely identified by the users.

CATEGORY II Intermediate Risks



CATEGORY III Irreversible Risks

PPE of complex design intended to protect against mortal danger or against serious and irreversible health risks, which cannot be identified in sufficient time.

### EN388

Mechanical risks-this standard applies to gloves that protect against physical and mechanical hazards; it specifies requirements for abrasion resistance, perforation resistance, tear resistance and cutting resistance.

		Nitrile (11 Mil)			Neoprene (22 Mil)			<b>PVC</b> (20 MIL)	
CHEMICAL	D	<u>BT</u>	<u>PR</u>	D	<u>BT</u>	<u>PR</u>	D	<u>BT</u>	<u>PR</u>
Acetaldehyde	F	4m	161	E	21m	18	ID	ID	ID
Acetone	Р	ID	ID	E	12m	35	Р	>1m	>>
Acetonitrile	ID	ID	ID	E	40m	7	ID	ID	ID
Acrylic Acid	F	ID	ID	ID	ID	ID	ID	ID	ID
Acrylonitrile	Р	3m	176	ID	ID	ID	ID	ID	ID
Aldehyde	Р	4	161	ID	ID	ID	ID	ID	ID
Aniline	Р	1.1h	45	E	>8h	ND	G	>8h	ND
Benzaldehyde	Р	ID	ID	ID	ID	ID	ID	ID	ID
Benzene	Р	ID	ID	ID	16m	133	ID	2m	250
Benzoyl Chloride	Ρ	ID	ID	ID	ID	ID	ID	ID	ID
Bromobenzene	Ρ	13m	9.1	ID	ID	ID	ID	ID	ID
Butyl Acetate	Ρ	29m	54.4	ID	52m	53	ID	ID	ID
p-t Butyltoluene	Р	ID	ID	ID	ID	ID	ID	ID	ID
Butyraldehyde	Р	ID	ID	ID	ID	ID	ID	ID	ID
Carbon Disulfide	Р	1m	51	ID	ID	ID	ID	ID	ID
Carbon Tetrachlo- ride	G	3.4h	5	F	31m	252	ID	ID	ID
Cellosolve	Р	ID	ID	E	5.9h	3	ID	ID	ID
Chlorobenzene	Ρ	ID	ID	ID	ID	ID	ID	ID	ID
Chloroform	Р	4m	352	Р	12m	220	ID	ID	ID
Chloronaphthalene	Ρ	2.9h	>1.3	ID	ID	ID	ID	ID	ID
Chloroprene	ID	ID	ID	ID	ID	ID	ID	ID	ID
Cyclohexane	Р	ID	ID	E	2.7h	7	ID	16m	17
Cyclohexanol	E	>16h	ND	ID	ID	ID	ID	ID	ID
Cyclohexanone	Р	ID	ID	ID	ID	ID	ID	ID	ID
Dibutylphthalate	E	>16h	ND	ID	ID	ID	ID	ID	ID
1,1,Dichloroethane	Р	ID	ID	ID	ID	ID	ID	ID	ID
1,2,Dichlorothane	Р	8m	311	Р	33m	247	ID	ID	ID

		Nitrile (11 Mil)			Neoprene (22 Mil)		(	<b>PVC</b> (20 MIL)	
CHEMICAL	D	<u>BT</u>	<u>PR</u>	D	<u>BT</u>	<u>PR</u>	D	<u>BT</u>	<u>PR</u>
Diethylaminoethanol	E	>8h	ND	ID	ID	ID	ID	ID	ID
1,4-Diethylene Dioxide	Ρ	28m	77.1	ID	28m	62	ID	8m	250
Diethyleneltriamine	Ρ	ID	ID	ID	ID	ID	ID	ID	ID
Diisobutyl Ketone 80%	F	3h	48.9	ID	ID	ID	ID	ID	ID
Dimethyl Acetamide	ID	ID	ID	ID	ID	ID	ID	ID	ID
Dimethyl Formamide	F	1m	>15	ID	ID	ID	ID	ID	ID
Dimethylsulfoxide	F	ID	ID	ID	ID	ID	ID	ID	ID
Dioxane	Р	28m	77.1	ID	28m	62	ID	8m	250
Divinyl Benzene	Р	ID	ID	ID	ID	ID	ID	ID	ID
Epichlorohydrin	Ρ	ID	ID	ID	ID	ID	ID	ID	ID
Ether	Р	14m	21.8	ID	ID	ID	ID	ID	ID
Ethyl Acetate	Ρ	8m	145	G	34m	178	ID	ID	ID
Ethyl Ether	Ρ	14m	21.8	E	18m	51	ID	ID	ID
Ethylamine 70%	F	1.1h	30.1	ID	ID	ID	ID	ID	ID
Ethylene dibromide	Ρ	ID	ID	ID	ID	ID	ID	ID	ID
Formaldehyde 37%	E	>21h	ND	E	>8h	ND	G	8h	ND
Furan	Р	ID	ID	ID	ID	ID	ID	ID	ID
Furfural	Р	28m	265	ID	ID	ID	ID	ID	ID
Glutaraldehyde	Р	ID	ID	ID	ID	ID	ID	ID	ID
n-Hexane	E	ID	ID	E	39m	5	ID	ID	ID
Hydrazine 70%	G	>8h	ND	E	>8h	ND	E	8h	ND
Hydrochloric Acid 37%	Ρ	ID	ID	E	>8h	ND	E	>8h	ND
Hydrofluoric Acid 50%	Ρ	ID	ID	E	>8h	ND	E	1.8h	0
Isobutyl Alcohol	G	>8h	ND	ID	ID	ID	ID	ID	ID

		Nitrile (11 Mil)			Neoprene (22 Mil)			<b>PVC</b> (20 MIL)	
Chemical (cont.)	D	<u>BT</u>	<u>PR</u>	D	<u>BT</u>	<u>PR</u>	D	<u>BT</u>	<u>PR</u>
Isobutyraldehyde	Ρ	ID	ID	ID	ID	ID	ID	ID	ID
Methacrylic Acid	Р	1.7h	23	ID	ID	ID	ID	ID	ID
Methacrylonitrile	Ρ	7m	560	ID	ID	ID	ID	ID	ID
Methyl Chloroform	Ρ	41m	76.4	Ρ	27m	197	ID	ID	ID
Methyl Cyanide	ID	ID	ID	E	40m	7	ID	ID	ID
Methyl Ethyl Ketone	Ρ	ID	ID	G	22m	155	ID	1m	>>
Methyl Isocyanate	Ρ	ID	ID	ID	ID	ID	ID	ID	ID
Methylamine 40%	G	>8h	ND	ID	ID	ID	ID	ID	ID
Methylene Chloride	Р	4m	766	F	6m	239	ID	ID	ID
Methylene Dianiline	F	ID	ID	ID	ID	ID	ID	ID	ID
Methylene Dichloride	Р	4m	766	ID	ID	ID	ID	ID	ID
Morpholine	Р	48m	206	ID	ID	ID	ID	ID	ID
Nitric Acid, 3 Molar	Ρ	ID	ID	E	>8h	ND	E	1.9h	0
Nitrobenzene	F	33m	1.7	G	1h	20	ID	ID	ID
Nitropropane	Р	16m	29.5	ID	ID	ID	ID	ID	ID
Oxalic Acid	G	ID	ID	ID	ID	ID	ID	ID	ID
PCB, Aroclor 1254 50%	F	ID	ID	ID	ID	ID	ID	ID	ID
Pentachlorophenol 1% (2)	E	>13h	ND	ID	8h	ND	ID	ID	ID
n-Pentane	E	ID	ID	ID	38m	3	ID	9m	17
Perchlorethylene	F	>1.3h	5.5	ID	28m	75.5	ID	ID	ID
Phenol 85%, water sat	Ρ	39m	>1500	E	>8h	ND	ID	32m	13
Propyl Acetate	Р	17m	72.5	ID	ID	ID	ID	ID	ID
Propyelenediamine	F	ID	ID	ID	ID	ID	ID	ID	ID
Pyridine	Р	ID	ID	ID	28m	117	ID	1m	>>
Red Fuming Nitric Acid	Р	ID	ID	ID	ID	ID	ID	ID	ID
Sodium Hydroxide 50%	G	ID	ID	E	>6.7h	ND	E	8h	ND

		Nitrile (11 Mil)			Neoprene (22 Mil)		(	<b>PVC</b> 20 MIL)	
Chemical (cont.)	D	<u>BT</u>	<u>PR</u>	D	<u>BT</u>	<u>PR</u>	D	<u>BT</u>	<u>PR</u>
Styrene	Р	ID	ID	ID	ID	40	ID	27m	40
Sulfuric Acid, 3 Molar	Р	ID	ID	E	>6.7h	ND	E	>8h	ND
Tetrachloroethylene	F	1.3h	5.5	ID	28m	75.5	ID	ID	ID
Tetraethylene- pentamine	F	ID	ID	ID	ID	ID	ID	ID	ID
Tetrafluoroethylene	ID	ID	ID	ID	ID	ID	ID	ID	ID
Tetrahydrofuran	Р	4m	167	Р	11m	671	ID	1m	>>
Thiophene	Р	ID	ID	ID	ID	ID	ID	ID	ID
Toluene	Р	11m	68.1	ID	14m	576	ID	3m	350
Toluene Diisocyanate	G	3.7h	1.8	ID	ID	ID	G	>6.7	ND
Trichloroethane	Р	8m	283	ID	11m	881	ID	ID	ID
1,1,1 Trichloroethane	F	41m	76.4	Р	27m	197	ID	ID	ID
1,1,2 Trichloroethane	Ρ	ID	ID	ID	ID	ID	ID	ID	ID
Triethylamine	E	>8h	ND	ID	ID	ID	ID	ID	ID
Vinyl Chloride	G	5.7h	0.14	ID	ID	ID	ID	ID	ID
Xylene	Р	ID	ID	ID	23m	135	ID	4m	383

### Glove Chemical Resistance Guide (1)

E=Excellent; G=Good; F=Fair; P=Poor; ND=None detected; ID=Insufficient Data; D=Degradation;
 BT=Breakthrough, amount of elapsed time after initial exposure before the chemical can be analytically detected on the inside surface of the glove; PR=Permeation Rate is expressed in mg/m2/sec. PR can be used for estimating glove thickness required; for a given material, thicker is more resistant.

STYLE	DESCRIPTION	FEATURES	APPLICATIONS	CE CERT
BPU4 (Black) GPU3 (Grey) WPU4 (White)	13 Gauge nylon liner with PU coating.	Provides superior dexterity and sensitivity, breathable back for comfort.	Electronic, computer, automotive and small parts handling.	4131
CRBN3 Saf-Tec	HPPE, cut resistant glove, nitrile foam coating.	Resistance to abrasion and cuts, excellent comfort due to the seamless liner, machine washable to 40°C.	Automotive, glass handling, recycling, sheet metal work, cutting applications, bottling and canning, delicate and precise operations.	4543
DYPU5	Heavy weight knitted from 100% ultra high density polyethylene fiber on the palm.	Resistance to abrasion and cuts, excellent comfort due to the seamless liner, outstanding flexibility and dexterity due to the thin coating, machine washable to 40°C.	Automotive, glass handling, recycling, sheet metal work, cutting applications, bottling and canning, delicate and precise operations.	4444
GBNC5	Light weight Taeki liner, HCT black nitrile coated on palm and knuckles.	Resistance to abrasion and cuts, excellent comfort due to the seamless liner, machine washable to 40°C.	Automotive, glass handling, recycling, sheet metal work, cutting applications, bottling and canning, delicate and precise operations.	4543
GDYP4(Grey) WDP3(White)	Knitted from 100% ultra high-density polyethylene fiber and coated with polyurethane on the palm.	Resistance to abrasion and cuts, excellent comfort due to the seamless liner, outstanding flexibility and dexterity due to the thin coating, machine washable to 40°C.	Automotive, glass handling, recycling, sheet metal work, cutting applications, bottling and canning, delicate and precise operations.	4344
NF3DD (Grey/White) NF5DDBB (Black/Black)	13 Gauge nylon liner with nitrile palm coating.	Provides the highest level of grip and soaks up the oil to ensure the hand won't slip in oily conditions.	Automotive, packaging inspection, component assembly and gardening.	4121
NMF506 (Plain Palm) NMF0608 (Micro-Dots) Contour gro	15 gauge grey nylon, black nitrile micro-foam, palm coated. Available with or without micro-dots on the palm.	Micro-Foam nitrile coatings are compatible with light oils and provide good grip and excellent abrasion resistance.	Automotive, packaging inspection, component assembly and gardening.	4131
SCPU5	Heavy weight steel wire with PU palm coating, extended cuff for extra protection.	Resistance to abrasion and cuts, excellent comfort due to the seamless liner, outstanding flexibility and dexterity due to the thin coating, machine washable to 40°C.	Automotive, glass handling, recycling, sheet metal work, cutting applications, bottling and canning, delicate and precise operations.	3541
SPARTACUS	HPPE, cut resistant knit glove, coated polyurethane palm, cut level 3.	Resistance to abrasion and cuts, excellent comfort due to the seamless liner, outstanding flexibility and dexterity due to the thin coating, machine washable to 40°C.	Automotive, glass handling, recycling, sheet metal work, cutting applications, bottling and canning, delicate and precise operations.	4342

Cattor palm, EVA foam padded back       Palmic Ruber of the ack of hand protection.       Hand only         TKSLP       TAEKI cut resistant, cut level 5.       Excellent cut resistance, leather patch for high mechanical 6 heat protection glove.       Used for material handling, glass handling operations, fishing industries, sanitation, general maintenance, woodworking, waste handling and recycling.       4542         B870BT (Band Top) B870KW (Knit Wrist)       Nitrile fully coated, jersey lined, knit wrist.       Resistant to cuts, snags, punctures, abrasion, grease and oil.       Abrasive materials, automotive assembly, construction, sheet metal industries, rough castings, recycling and utilities.       4211	STYLE	DESCRIPTION	FEATURES	APPLICATIONS	CE CERT
URSDD model TPR fingers synthetic teather, EVA feam pain, sipo style.Free layer of oil free protection, IDD's rubber omposition paiding provides the ZvA layer of oil permeating protection, IPR patch on fingers for impact protection from resistance.Construction, auto repair, denolition, mandfacturing, heavy construction and applications requiring protection from impact to the hands.3233REZUZ CONCORDGreen hi-vis impact glove, leather, EVA feam pain, sign of style.Synthetic leather pain, injection molded with Thermo Plastic Rubber (IPR). (thylene Viny) Actate (EVA) padding in pain and back for impact resistance.Construction, auto repair, demolition, mandfacturing, mining fabrication, applications requiring protection from impact to the hands.3233RESUCRED CONCORDGreen hi-vis impact glove, style.Synthetic leather pain, injection molded with Actate (EVA) padding in pain and back for impact genetamical, mining, framing, a inductive, electrical, HVAC, plumbing, impact to the hands.3233RESUCRED CONCORDGreen hi-vis impact glove, style.Conto corded pain designed for use in the oil and applications requiring protection from genetamical, historice, sensition, genetamical, historice, sensition, genetamical, historice, sensition, genetamical, historice, sensition, genetamical, historice, sensition,		molded TPR fingers, synthetic leather, EVA foam palm, Velcro	Thermo Plastic Rubber (TPR), Ethylene Vinyl Acetate (EVA) padding in palm and back for impact	manufacturing, mining fabrication. Landscaping, heavy construction and applications requiring protection from	3233
BRZDIDDereen hi-vis impact glove, molded TPR fingers, synthetic leather, EVA fram palm, vielco closure.Synthetic leather palm, injection molded with herma Plastic Rubber (TPR), Ethylene Vinyl Actate (EVA) padding in palm and back for impact resistance.manufacturing, mining fabrication, landscaping, heavy construction and applications requiring protection fram impact to the hands.3233BRZDIZGreen hi-vis impact glove, molded TPR fingers, synthetic leather, EVA fram palm, slip en style.Synthetic leather palm, injection molded with 		molded TPR fingers, synthetic leather, EVA foam palm, slip on	first layer of oil-free protection, 100% rubber composition padding provides the 2nd layer of oil permeating protection, TPR patch on fingers for	fracking, tool pushing, mining, demolition, heavy construction, cargo handling, and	3233
Cattor palm, EVA fram padded back       Palmic Rubber (IPR) for back of hand protection.       Weight of the seck of hand protection.         TKSLP       TAEKI cut resistant, cut level 5. leather palm.       Excellent cut resistance, leather patch for high mechanical 6 heat protection glove.       Used for material handling, glass handling operations, fishing industries, sanitation, general maintenance, woodworking, waste handling and recycling.       4542         TKSLP       TAEKI cut resistant, cut level 5. leather palm.       Excellent cut resistance, leather patch for high mechanical 6 heat protection glove.       Used for material handling, glass handling operations, fishing industries, sanitation, general maintenance, woodworking.       4542         9870BT (Gand Top) S70BT (Gand Top) S870RW (Knit Wrist)       Nitrile fully coated, jersey lined, knit wrist.       Resistant to cuts, snags, punctures, abrasion, grease and oil.       Abrasive materials, automotive assembly, construction, sheet metal industries, rough castings, recycling and utilities.       4211         9875BT (Gand Top) S875BT (Gand Top) lined, safety cuff and available       Resistant to cuts, snags, punctures, abrasion, grease and oil.       Abrasive materials, automotive assembly, construction, sheet metal industries, 4121		molded TPR fingers, synthetic leather, EVA foam palm, Velcro	Thermo Plastic Rubber (TPR), Ethylene Vinyl Acetate (EVA) padding in palm and back for impact	manufacturing, mining fabrication. landscaping, heavy construction and applications requiring protection from	3233
Control of the section pairs (VA fram padded back, provide text injection matrice and matrice a		molded TPR fingers, synthetic leather, EVA foam palm, slip on	Thermo Plastic Rubber (TPR), Ethylene Vinyl Acetate (EVA) padding in palm and back for impact	manufacturing, mining fabrication. Landscaping, heavy construction and applications requiring protection from	3233
TKSLP       TAEKI cut resistant. cut level 5. leather palm.       Excellent cut resistance, leather patch for high mechanical 6 heat protection glove.       operations, fishing industries, sanitation, general maintenance, woodworking, waste handling and recycling.       4542         9870BT (Band Top) B870KW (Knit Wrist)       Nitrile fully coated, jersey lined, safety cuff and available in a knit wrist.       Resistant to cuts, snags, punctures, abrasion, grease and oil.       Abrasive materials, automotive assembly, construction, sheet metal industries, rough castings, recycling and utilities.       4211         9875BT (Band Top) B875KW (Knit Wrist)       Nitrile palm coated, jersey lined, safety cuff and available       Resistant to cuts, snags, punctures, abrasion, grease and oil       Abrasive materials, automotive assembly, construction, sheet metal industries.       4121		molded TPR fingers, corded cotton palm, EVA foam padded	gas industries. Injection molded with Thermo		*Back of
987587 (Band Top)       safety cuff and available in a knit wrist.       Resistant to cuts, snags, punctures, abrasion, grease and oil.       construction, sheet metal industries, 4211         987587 (Band Top)       Nitrile palm coated, jersey lined, safety cuff and available       Resistant to cuts, snags, punctures, abrasion, grease and oil.       Abrasive materials, automotive assembly, construction, sheet metal industries, 4121	TK5LP			operations, fishing industries, sanitation, general maintenance, woodworking,	4542
987587 (Band Top) 1875KW (Knit Wrist) lined, safety cuff and available construction, sheet metal industries, 4121	V9870BT (Band Top) /9870KW (Knit Wrist)	safety cuff and available in a		construction, sheet metal industries,	4211
	V9875BT (Band Top) /9875KW (Knit Wrist)	lined, safety cuff and available	<b>5</b> .	construction, sheet metal industries,	4121

# **TECHNICAL DATA**

### CONTACT US BY PHONE OR EMAIL! SALES@SEATTLEGLOVE.COM 1-800-917-2020



Leather Drivers	Kevlar
Goatskin5 Deerskin6	Cut Resistant.
Elkskin6 Grain Cow/Split Cow7-11	Disposables
Pigskin	PVC
Hi-Vis Drivers	
Insulated Drivers14-18	Unsupported
Leather Palms	Rainwear
Grain Cow	Boots
Premium Select Solit	Safety Vests/
Select Shoulder Leather	Caution Danger
Insulated Leather Palms25	Neck S Safety
Welders	Safety
Mig/Tig Welders	Welding Appar
Lineman's Gloves27 Economy Welders28	Microporous
Mechanics	SMS
Goatskin	DuPont
Synthetic Leather	Garme
Deerskin	Tyvek. Tempr
Cotton	Tychei
Jerseys	Glove Pattern
Ganvas	CE Certificatio
Hi-Vis	Glove Chemica
Hot Mills	Resistance Gu
	Technical Data
String Knit	
1erry Cloth	
Supported Gloves	
Nitrile	
FU41	

vlar42
t Resistant43-44
sposables46
<b>C</b> 47,48
supported
<b>inwear</b> 50
<b>ots</b>
fety Vests/Tapes
elding Apparel
<b>croporous</b>
<b>IS</b> 55
Pont
o <b>ve Patterns</b> 65
Certification
ove Chemical sistance Guide67-70
chnical Data Sheet71-72

INDEX

Authorized Distributor

Seattle Glove Inc. 11524 Cyrus Way Mukilteo,WA.98275 Tel: 425.493.9360 Toll Free:800.917.2020 Fax: 425.493.8038 www.seattleglove.com

**Printed in China** 

