



exclusively represented in the USA by:



Tough, Long Lasting Tools

Innovative, Time-Saving Product Design

In-Stock, On Time Order Fulfillment

Outstanding Customer Service

1-800-328-8310

1400 E. Broadway

P.O. Box 660

Monticello, MN 55362

Phone: 763-295-2162

Fax: 763-295-4440

E-mail: cservice@bondhus.com

Website: www.bondhus.com

Item No. 0715790000



2005

Price List 2005

Legend

- CA** Cellulose-Acetate (handles)
- CMV** Chrome-Molybdenum-Vanadium-Steel
- Cro** satin chrome-plated
- CV** Chrome-Vanadium-Steel
- MV** Molybdenum-Vanadium-Steel
- Pho** phosphated
- PPC** Polypropylene-Compound (handles)

Inch (mm) All measurements shown in inches are for your information only. All products are produced according to metric dimensions.



Inner Hexagon



for slotted screws



PZ Pozidriv-Superdriv



PH Phillips



Torx® Torx



TX TR Torx® Tamper Resistant



Torx Plus®



SQ Square for Robertson® screws



TS for TorqSet® screws



XZN XZN



Nut Drivers



Packing Unit



Assortment for Sets

500

Item number

Terms of Delivery and Payment

Number 1 IN CUSTOMER SERVICE!

Here's why:

- NO MINIMUM ORDERS, NO STOCKING REQUIREMENTS, NO DROP SHIP FEES**
We don't believe in minimum order quantities or stocking requirements. Buy what you want, when you want it! As a Bondhus® distributor, you are never forced to stock our products in your inventory – **minimizing your overhead costs.**
- 97% SAME-DAY FULFILLMENT**
Due to our commitment to inventory, over 97% of all orders faxed, phoned, or emailed to our office before noon get **filled and shipped the same business day.**
- NO HASSLE RETURNS**
We want you to be satisfied with every aspect of doing business with Felo and Bondhus. Too much stock of a particular item? Simply call us at 800-328-8310 for a Returned Goods Authorization (RGA) and send it back freight prepaid for a full credit to your account. Bondhus never charges a restocking fee on items in our standard product line!
- LIFETIME WARRANTY**
All Felo products are guaranteed for life. If you or your customer are not happy with a Felo tool – for any reason – simply return it. A replacement will be shipped right out at no cost – no questions asked!
- HIGHLY TRAINED, EXPERIENCED IN-HOUSE CUSTOMER SERVICE DEPARTMENT**
Bondhus' in-house Customer Service staff is made up of highly-trained professionals with an average of 16 years experience in the hex tool industry. Always willing to answer your questions or address any ordering / shipping issues, they can be reached weekdays, **7 am to 6 pm CST**, at 800-328-8310 or via email at cservice@bondhus.com

Series

500



Page

2

Series

600



Page

14

Series

200



Page

18

Series

Nm



Page

22

Series

**240
250 ESD**




Page

26

Series

300



Page

32

Series

**370
& Felo-Smart**



Page

34

Series

**020
030**



Page

42

Series

Bit Sets



Page

54

Series 500

The leaders in:

- handle-design
- blade quality
- 2-component technology

1

smooth, seamless handle for maximum comfort


2

The special advantage:

pleasant soft-grip outer material for highest torque


3

ergonomically refined design




3

hexagon bolsters available on series 510



5

full length, impact-proof handle core





6

EAN code on every product




7

hanging hole for easy storage or inserting lever




8

GS tested for safety




9

anti-roll handle design




10

blades manufactured from chrome-molybdenum-vanadium steel




10

superior hardness which exceeds DIN and ISO requirements by up to 100%



12

black tip for precision fit






Blade: CMV-Cro
Handle: PPC



frico

2-components

500



500

\$



EAN-Code

	a	b	c								
2,5 x 0,4	3"	80mm	25mm	2,5	12		500 022 10	3,42	26	40 07157	22091 2
3,0 x 0,5	3 1/4"	80mm	25mm	3,0	12		500 032 10	3,75	28	40 07157	22092 9
3,5 x 0,6	4"	80mm	25mm	3,5	12		500 353 10	4,06	32	40 07157	22093 6
4,0 x 0,8	4"	90mm	29mm	4,0	12		500 043 10	4,94	45	40 07157	22094 3
4,0 x 0,8	8"	90mm	29mm	4,0	12		500 047 10	6,18	58	40 07157	50693 1
4,0 x 0,8	12"	90mm	29mm	4,0	12		500 049 10	7,74	58	40 07157	51379 3
5,0 x 0,8	6"	99mm	34mm	5,0	12		500 505 10	7,74	76	40 07157	50572 9
5,5 x 1,0	5"	99mm	34mm	5,0	12		500 554 10	6,60	71	40 07157	22095 0
5,5 x 1,0	6"	99mm	34mm	5,0	12		500 556 10	9,84	77	40 07157	51811 8
5,5 x 1,0	12"	99mm	34mm	5,0	12		500 559 10	9,94	95	40 07157	50695 5
6,5 x 1,2	6"	99mm	34mm	6,0	12		500 655 10	8,61	89	40 07157	22096 7
6,5 x 1,2	8"	99mm	34mm	6,0	12		500 657 10	9,34	115	40 07157	51843 9
8,0 x 1,2	7"	105mm	39mm	7,0	12		500 086 10	10,47	129	40 07157	22097 4
8,0 x 1,2	12"	105mm	39mm	8,0	6		500 088 10	13,87	180	40 07157	51809 5
8,0 x 1,6	7"	105mm	39mm	8,0	6		500 096 10	10,79	150	40 07157	22098 1
10,0 x 1,6	8"	105mm	39mm	8,0	6		500 107 10	12,24	170	40 07157	50697 9




Blade: CMV-Cro
Handle: PPC



frico

2-components

520



520

\$



EAN-Code

4,0 x 0,8	6"	90mm	29mm	4,0	6		520 045 10	17,10	66	40 07157	50072 4
5,5 x 1,0	6"	99mm	34mm	5,5	6		520 055 10	18,66	92	40 07157	50074 8




Blade: CMV-Cro
Handle: PPC



frico

2-components

Stubby



500

\$



EAN-Code

5,5 x 1,0	1"	57mm	35mm	5,0	12		500 550 10	5,40	35	40 07157	22099 8
-----------	----	------	------	-----	----	--	------------	------	----	----------	---------

501



Blade: CMV-Cro
Handle: PPC



frico

2-components



PZ



501

\$



EAN-Code

	a	b	c						
1	3 1/4"	90mm	29mm	4,5	12	501 102 10	6,72	51	40 07157 22101 8
2	4"	99mm	34mm	6,0	12	501 203 10	8,68	79	40 07157 22102 5
3	6"	105mm	39mm	8,0	6	501 305 10	12,18	138	40 07157 31330 0

502



Blade: CMV-Cro
Handle: PPC




frico

2-components



PH



502

\$



EAN-Code

	a	b	c						
0	2 3/8"	80mm	25mm	3,0	12	502 001 10	4,76	26	40 07157 22106 3
1	3 1/4"	90mm	29mm	4,5	12	502 102 10	5,98	51	40 07157 22107 0
1	8"	90mm	29mm	4,5	12	502 107 10	7,35	70	40 07157 22111 7
2	4"	99mm	34mm	6,0	12	502 203 10	8,26	79	40 07157 22108 7
2 NEW!	6"	99mm	34mm	6,0	12	502 205 10	9,27	85	40 07157 51845 3
2	8"	99mm	34mm	6,0	6	502 207 10	9,44	99	40 07157 22112 4
2	12"	99mm	34mm	6,0	6	502 209 10	11,90	99	40 07157 51381 6
3	6"	105mm	39mm	8,0	6	502 305 10	11,34	138	40 07157 31331 7

522



Blade: CMV-Cro
Handle: PPC




frico

2-components



PH



522

\$



EAN-Code

	a	b	c						
1	6"	90mm	29mm	4,0	6	522 105 10	19,88	67	40 07157 50076 2
2	6"	99mm	34mm	5,5	6	522 205 10	21,53	91	40 07157 50078 6

Stubby



Blade: CMV-Cro
Handle: PPC



frico

2-components



PH 1



502

\$



EAN-Code

	a	b	c						
PH 1	1"	57mm	35mm	4,5	12	502 010 10	5,74	35	40 07157 22109 4
PH 2	1"	57mm	35mm	6,0	12	502 020 10	5,59	38	40 07157 22110 0

504



Blade: **CMV-Cro**
Handle: **PPC**



frico

2-components

						504	\$		EAN-Code
SQ	a	b	c						
0	4"	90mm	29mm	3,0	12	504 000 40	7,70	27	40 07157 50418 0
1	4 ³ / ₄ "	90mm	29mm	3,5	12	504 100 40	7,84	29	40 07157 50420 3
2	6 ¹ / ₂ "	99mm	34mm	3,5	12	504 200 40	8,12	29	40 07157 50422 7
3	6 ¹ / ₂ "	99mm	34mm	3,5	12	504 300 40	8,12	29	40 07157 50424 1

507




Blade: **MV-Cro**
Handle: **PPC**



frico

2-components

						507	\$		EAN-Code
Torx TR	a	b	c						
10	4"	80mm	25mm	3,5	12	507 103 40	6,50	46	40 07157 32234 0
15	4"	90mm	29mm	4,0	12	507 153 40	6,50	48	40 07157 32236 4
20	4"	99mm	34mm	5,0	12	507 203 40	8,30	69	40 07157 32238 8
25	4"	99mm	34mm	5,0	12	507 253 40	8,30	69	40 07157 32240 1
27	4"	99mm	34mm	5,0	12	507 273 40	8,30	69	40 07157 32242 5
30	4 1/2"	105mm	39mm	6,0	6	507 303 40	11,20	97	40 07157 32244 9
40	5"	105mm	39mm	8,0	6	507 404 40	11,65	129	40 07157 32246 3

508




Blade: **MV-Cro**
Handle: **PPC**




frico

2-components

						508	\$		EAN-Code
Torx	a	b	c						
5	2 ³ / ₈ "	68mm	20mm	3,0	12	508 051 40	4,80	27	40 07157 22188 9
6	2 ³ / ₈ "	68mm	20mm	3,0	12	508 061 40	3,95	27	40 07157 22154 4
7	2 ³ / ₈ "	80mm	25mm	3,0	12	508 071 40	3,80	27	40 07157 22156 8
8	2 ³ / ₈ "	80mm	25mm	3,0	12	508 083 40	3,80	29	40 07157 22157 5
9	2 ³ / ₈ "	80mm	25mm	3,5	12	508 093 40	4,00	29	40 07157 22158 2
10	4"	80mm	25mm	3,5	12	508 103 40	4,35	45	40 07157 22159 9
15	4"	90mm	29mm	4,0	12	508 153 40	4,35	45	40 07157 22160 5
20	4"	99mm	34mm	5,0	12	508 203 40	4,85	69	40 07157 22161 2
25	4"	99mm	34mm	5,0	12	508 253 40	5,10	69	40 07157 22162 9
27	4"	99mm	34mm	5,0	12	508 273 40	5,95	69	40 07157 22163 6
30	4 ¹ / ₂ "	105mm	39mm	6,0	6	508 303 40	6,95	96	40 07157 22164 3
40	5"	105mm	39mm	8,0	6	508 404 40	7,95	143	40 07157 22165 0
45	5"	105mm	39mm	8,0	6	508 454 40	7,95	143	40 07157 22166 7



550



Blade: CMV-Cro
Handle: PPC



friico

2-components



550


\$



EAN-Code

	a	b	c							
4,5 x 0,8	3 3/4"	90mm	29mm	5,0	12		550 045 40	8,75	85	40 07157 50699 3
5,5 x 1,0	4"	99mm	34mm	5,0	12		550 055 40	9,66	108	40 07157 32354 5
6,5 x 1,2	5"	99mm	34mm	6,35	12		550 065 40	11,31	133	40 07157 32356 9
8,0 x 1,2	6"	105mm	38mm	8,0	6		550 080 40	15,73	199	40 07157 32358 3
9,0 x 1,6	6"	105mm	38mm	8,0	6		550 090 40	15,41	205	40 07157 50701 3
10,0 x 1,6	7"	105mm	38mm	8,0	6		550 100 40	16,25	210	40 07157 32360 6
12,0 x 2,0	8"	105mm	38mm	10,0	6		550 120 40	20,02	293	40 07157 32362 0

552



Blade: CMV-Cro
Handle: PPC



friico

2-components



552

\$



EAN-Code

	a	b	c							
PH 1	3 1/4"	90mm	29mm	5,0	12		552 102 40	8,91	95	40 07157 50703 7
2	4"	99mm	34mm	6,35	12		552 203 40	10,80	127	40 07157 32368 2
3	6"	105mm	38mm	8,0	6		552 305 40	14,22	198	40 07157 32370 5



VDE screwdrivers 10.000 Volt individually tested for applications up to 1.000 Volt Ergonomic and shock-proof handle design. Performance benchmarks up to 100% above DIN standards.

513




Blade: **CMV-Pho**
Handle: **PPC**

frico 2-components



IEC 900
EN 60900



513

\$



EAN-Code

	a	b	c					
2,5 x 0,4	3"	68mm	20mm	2,5	12	513 025 90	4,18	22 40 07157 22141 4
3,0 x 0,5	4"	68mm	20mm	3,0	12	513 030 90	4,18	28 40 07157 22113 1
3,5 x 0,6	4"	68mm	20mm	3,5	12	513 035 90	4,54	30 40 07157 22114 8
4,0 x 0,8	4"	80mm	25mm	3,5	12	513 040 90	5,42	44 40 07157 22115 5
4,5 x 1,0 NEW!	5"	99mm	34mm	4,5	12	513 045 90	8,45	73 40 07157 50124 0
5,5 x 1,0	5"	99mm	34mm	4,5	12	513 055 90	6,49	70 40 07157 22116 2
6,5 x 1,2	6"	99mm	34mm	5,5	6	513 065 90	7,47	86 40 07157 22117 9
8,0 x 1,2	7"	105mm	39mm	7,0	6	513 080 90	9,55	135 40 07157 22118 6

514




Blade: **CMV-Pho**
Handle: **PPC**

frico 2-components



IEC 900
EN 60900



514

\$



EAN-Code

PH	a	b	c					
0	2 3/8"	80mm	25mm	3,0	12	514 001 90	4,50	25 40 07157 22142 1
1	3 1/4"	90mm	29mm	5,0	12	514 102 90	5,28	52 40 07157 22119 3
2	4"	99mm	34mm	6,0	12	514 203 90	6,82	80 40 07157 22120 9
3	6"	105mm	39mm	8,0	6	514 304 90	9,50	145 40 07157 22143 8



518




Blade: **CMV-CV Bitholder**
Handle: **PPC**

frico 2-components



IEC 900
EN 60900



518

\$



EAN-Code

	a	b	c					
1/4"	4"	99mm	34mm		6	518 125 40	11,61	103 40 07157 50785 3




538



Blade: CV-Cro Bitholder
Handle: PPC



frico 2-components



1/4"

4"

99mm

34mm

6

538 125 40

12,24

103

40 07157 32348 4




529



Blade: Flexible Bitholder
Handle: PPC



frico 2-components



1/4"

6 3/4"

105mm

39mm

6

529 635 40

17,94


140

40 07157 50570 5



500

Blade: **CMV-Cro**
Handle: **PPC**

M-TEC**2-components****500**


\$

**EAN-Code**

	a	b	c						
3,0	3 1/4"	80mm	25mm	3,0	6	500 032 30	16,40	38	40 07157 51681 7
3,0 NEW!	8"	80mm	25mm	3,0	6	500 037 30	19,62	49	40 07157 51981 8
3,5	4"	80mm	25mm	3,5	6	500 353 30	16,70	42	40 07157 51683 1
3,5 NEW!	9 3/4"	80mm	25mm	3,5	6	500 358 30	20,19	60	40 07157 51983 2
4,0	4"	90mm	29mm	4,0	6	500 043 30	17,30	55	40 07157 51685 5
4,0	8"	90mm	29mm	4,0	6	500 047 30	18,50	60	40 07157 51757 9

501

Blade: **CMV-Cro**
Handle: **PPC**

M-TEC**2-components****501**


\$

**EAN-Code**

PZ	a	b	c						
1	3 1/4"	90mm	29mm	4,5	6	501 102 30	18,55	61	40 07157 51677 0
2	4"	99mm	34mm	6,0	6	501 203 30	20,30	89	40 07157 51679 4
2	8"	99mm	34mm	6,0	6	501 207 30	21,35	105	40 07157 51759 3

502

Blade: **CMV-Cro**
Handle: **PPC**

M-TEC**2-components****502**


\$

**EAN-Code**

PH	a	b	c						
1	3 1/4"	90mm	29mm	4,5	6	502 102 30	18,30	61	40 07157 51673 2
1 NEW!	8"	90mm	29mm	4,5	6	502 107 30	22,78	80	40 07157 51985 6
2	4"	99mm	34mm	6,0	6	502 203 30	19,90	89	40 07157 51675 6
2	8"	99mm	34mm	6,0	6	502 207 30	21,05	105	40 07157 51761 6

508

Blade: **CMV-Cro**
Handle: **PPC**

M-TEC**2-components****508**

\$

**EAN-Code**

	a	b	c						
T10	4"	80mm	25mm	3,5	6	508 103 30	18,60	55	40 07157 51665 7
T15	4"	90mm	29mm	4,0	6	508 153 30	18,60	55	40 07157 51667 1
T20	4"	99mm	34mm	5,0	6	508 203 30	19,20	79	40 07157 51669 5
T25	4"	99mm	34mm	5,0	6	508 253 30	19,20	79	40 07157 51671 8

500



frico

2-components



500

\$



EAN-Code



Set 6 pcs.

500: 4 x 1 — 3,5 / 4,0 / 5,5 / 6,5

502: 2 x 1 — PH 1 x 80 / PH 2 x 100

500 961 17

37,38

549

40 07157 50174 5

500



frico

2-components



500

\$



EAN-Code



Set 7 pcs.

500: 4 x 1 — 3,5 / 4,0 / 5,5 / 6,5

501: 1 x 1 — PZ 2

502: 2 x 1 — PH 1 / PH 2

500 971 18

43,14

566

40 07157 22134 6

507



frico

2-components



507

\$



EAN-Code



Set 7 pcs.

507: 7 x 1 — Torx TR 10 / Torx TR 15 / Torx TR 20 / Torx TR 25 /
Torx TR 27 / Torx TR 30 / Torx TR 40

507 971 48

59,95

600

40 07157 50200 1

508



 **frico** 2-components



508



EAN-Code

Set 7 pcs.

508: 7 x 1  Torx 6 / Torx 8 / Torx 10 / Torx 15
Torx 20 / Torx 25 / Torx 30

508 973 48

29,95

600

40 07157 **50981** 9

508



 **frico** 2-components



508



EAN-Code

Set 7 pcs.

7 x 1  Torx 9 / Torx 10 / Torx 15 / Torx 20 / Torx 25 /
Torx 30 / Torx 40

508 972 48

36,95

600

40 07157 **50979** 6

513



 **frico** 2-components



513



EAN-Code

Set 6 pcs.

513: 4 x 1  3,0 / 3,5 / 4,0 / 5,5

514: 2 x 1  PH 1 / PH 2

513 961 97

38,64

463

40 07157 **50176** 9

550



frico

2-components



550



EAN-Code



Set 5 pcs.

550: 3 x 4,5 / 5,5 / 6,5

552: 3 x PH 1 / PH 2

550 952 48

56,91

886

40 07157 50707 5



500



frico

2-components



500



EAN-Code



Case 11 pcs.

500: 4 x 1 4,0 / 5,5 / 5,5 / 6,5

501: 1 x 1 PZ 2

502: 3 x 1 PH 1 / PH 2 / PH 2

613: 2 x 1 2,5 / 3,5

361: 1 x 1 Mains testing screwdriver
VDE 0680/6, 150-250 Volt

500 111 16

75,60

950

40 07157 32558 7

500



frico

2-components

M-TEC



500



EAN-Code



Satz 7-tlg.

500: 3 x 1 3,0 x 80 / 3,5 x 100 / 4,0 x 100

502: 2 x 1 PH 1 x 80 / PH 2 x 100

508: 2 x 1 TX 10 x 100 / TX 15 x 100

500 971 37

125,00

625

40 07157 51699 2

**Intelligent sales concepts for the specialist trade and ideal product presentation.
We will give you professional advice and develop a concept to suit your needs**




Series 600

Professional quality for heavy duty use

1

Handle made of cellulose-acetate, free of cadmium giving high impact resistance and exceptional durability



2


The special advantage:

patented micro-textured quartz finish: non-slip and maximum grip even when used with greasy hands




3

ergonomically refined design



4

maximum hardness which exceeds DIN and ISO requirements





5

EAN code on every product




6

hanging hole for easy storage or inserting lever




7

GS tested for safety




8

anti-roll handle design



9

blades manufactured from chrome-molybdenum-vanadium steel



10

black tip for precision fit



600

Blade: **CMV-Cro**
Handle: **CA**

**CA micro-textured**

	a	b	c								
2,5 x 0,4	3"	75mm	23mm	2,5	12		600 022 10	3,75	25	40 07157	10001 6
3,0 x 0,5	3 1/4"	75mm	23mm	3,0	12		600 032 10	3,98	28	40 07157	10003 0
3,5 x 0,6	4"	85mm	27mm	3,5	12		600 353 10	4,41	45	40 07157	10025 2
4,0 x 0,8	4"	90mm	29mm	4,0	12		600 043 10	4,38	59	40 07157	10006 1
4,0 x 0,8	8"	90mm	29mm	4,0	12		600 047 10	4,84	72	40 07157	24034 7
5,0 x 0,8	5"	90mm	29mm	5,0	12		600 054 10	4,62	71	40 07157	10010 8
5,5 x 1,0	6"	99mm	34mm	5,5	12		600 555 10	6,27	99	40 07157	10032 0
6,5 x 1,2	6"	99mm	34mm	6,0	12		600 655 10	6,60	103	40 07157	10038 2
8,0 x 1,2	7"	105mm	39mm	7,0	12		600 086 10	8,91	146	40 07157	10017 7
8,0 x 1,6	7"	115mm	42mm	8,0	6		600 096 10	10,06	189	40 07157	10018 4
10,0 x 1,6	8"	115mm	42mm	8,0	6		600 107 10	11,33	207	40 07157	10019 1

602

Blade: **CMV-Cro**
Handle: **CA**

**CA micro-textured**

	a	b	c								
PH											
0	2 3/8"	75mm	23mm	3,0	12		602 001 10	3,25	26	40 07157	10052 8
1	3 1/4"	90mm	29mm	4,5	12		602 102 10	4,79	62	40 07157	10059 7
2	4"	99mm	34mm	6,0	12		602 203 10	6,44	92	40 07157	10065 8
3	6"	105mm	39mm	8,0	12		602 305 10	9,13	155	40 07157	10070 2


Stubby

Blade: **CMV-Cro**
Handle: **CA**

**Ca micro-textured**

	a	b	c								
5,5 x 1,0	1"	58mm	33mm	5,0	12		600 550 10	6,00	41	40 07157	10028 3
6,5 x 1,2	1"	58mm	33mm	6,0	12		600 650 10	5,93	45	40 07157	10036 8
PH 1	1"	58mm	33mm	4,5	12		602 010 10	4,27	39	40 07157	10055 9
PH 2	1"	58mm	33mm	6,0	12		602 020 10	4,69	45	40 07157	10057 3

600



600

\$



EAN-Code

600 971 17

36,24

635

40 07157 50104 2



Set 7 pcs.


600: 3 x 1 — 4,0 / 5,5 / 6,5

602: 2 x 1 — PH 1 / PH 2

613: 1 x 1 — 3,5

361: 1 x 1 — Mains testing screwdriver
VDE 0680/6, 150-250 Volt

613



IEC 900
EN 60900

613

\$



EAN-Code

613 973 97

29,70

483

40 07157 51401 1




Set 7 pcs.

613: 5 x 1 — 2,5 / 3,0 / 3,5 / 4,0 / 5,5

614: 2 x 1 — PH 1 / PH 2

613



IEC 900
EN 60900

613

\$



EAN-Code

613 962 98

23,94

630

40 07157 51405 9



Set 6 pcs.

613: 3 x 1 — 2,5 / 4,0 / 5,5

614: 2 x 1 — PH 1 / PH 2


361: 1 x 1 — Mains testing screwdriver
VDE 0680/6, 150 - 250 Volt



490



Blade: CV-Cro
Handle: CA


								
		a b c			490	\$	g	EAN-Code
Awls		2 3/8" 60mm 32mm	4 mm 12		490 041 10	3,43	38	40 07157 31078 1
Awls		4" 80mm 34mm	6 mm 12		493 063 10	5,03	72	40 07157 23006 5



498



Blade: CV-Cro
Handle: CA


								
		a b c			498	\$	g	EAN-Code
Reamer		4" 80mm 34mm	6 mm 12		498 063 10	5,48	72	40 07157 23013 3



494



Blade: CV-Cro
Handle: CA


							
		a b c		494	\$	g	EAN-Code
Tack-Lifter		4" 80mm 34mm	12	494 003 30	5,81	79	40 07157 24022 4

Series 200

High quality and comprehensive range


1

handles manufactured from shock-proof polypropylene




2

ergonomically refined design



3

superior hardness which exceeds DIN and ISO requirements by up to 100%




4

EAN code on every product




5

hanging hole for easy storage or inserting lever



6

anti-roll handle design




7

GS tested for safety



8

blades manufactured from chrome-molybdenum-vanadium steel



9

black tip for precision fit





200



Blade: **CMV-Cro**
Handle: **PPC**



						200	\$		EAN-Code
		a b c							
2,5 x 0,4		3" 80mm 25mm	2,5	12		200 022 90	2,59	22	40 07157 13001 3
3,0 x 0,5		3 1/4" 80mm 25mm	3,0	12		200 032 90	2,87	26	40 07157 13003 7
3,5 x 0,6		4" 80mm 25mm	3,5	12		200 353 90	3,43	29	40 07157 13035 8
4,0 x 0,8		4" 90mm 29mm	4,0	12		200 043 90	3,71	42	40 07157 13010 5
5,0 x 0,8		5" 90mm 29mm	5,0	12		200 054 90	4,27	54	40 07157 13016 7
5,5 x 1,0		5" 98mm 34mm	5,0	12		200 554 90	5,11	68	40 07157 13041 9
6,5 x 1,2		5" 98mm 34mm	6,0	12		200 654 90	5,25	80	40 07157 16050 8
8,0 x 1,2		7" 105mm 38mm	7,0	12		200 086 90	7,35	123	40 07157 13028 0
10,0 x 1,6		8" 105mm 38mm	8,0	6		200 107 90	10,57	159	40 07157 13032 7

202



Blade: **CMV-Cro**
Handle: **PPC**



						202	\$		EAN-Code
	PH	a b c							
0		2 3/8" 80mm 25mm	3,0	12		202 001 90	3,22	24	40 07157 13099 0
1		3 1/4" 90mm 29mm	4,5	12		202 102 90	4,13	47	40 07157 13106 5
2		4" 98mm 34mm	6,0	12		202 203 90	5,81	74	40 07157 13111 9
3		6" 105mm 38mm	8,0	6		202 305 90	8,12	135	40 07157 13117 1

Stubby



Blade: **CMV-Cro**
Handle: **PPC**



					200 202	\$		EAN-Code
	a b c							
5,5 x 1,0	1" 58mm 33mm	5,0	12		200 550 90	3,64	30	40 07157 13037 2
6,5 x 1,2	1" 58mm 33mm	6,0	12		200 650 90	3,85	33	40 07157 13045 7
PH 2	1" 58mm 33mm	6,0	12		202 020 90	3,99	33	40 07157 13103 4





290



Blade: CMV-Cro
Handle: PPC



ESD Safe
 $10^8 - 10^{10} \Omega$



290

\$



EAN-Code

	a	b	c							
3,5 x 0,6	4"	80mm	25mm	3,5	6		290 353 90	6,56	29	40 07157 50282 7
4,0 x 0,8	4"	90mm	29mm	4,0	6		290 043 90	6,93	42	40 07157 50284 1
5,5 x 1,0	5"	98mm	34mm	5,0	6		290 554 90	9,45	68	40 07157 50286 5
6,5 x 1,2	6"	98mm	34mm	6,0	6		290 655 90	10,37	80	40 07157 50288 9

292



Blade: CMV-Cro
Handle: PPC



ESD Safe
 $10^8 - 10^{10} \Omega$



292


\$



EAN-Code

PH	a	b	c							
0	2 ³ / ₈ "	80mm	25mm	3,0	6		292 001 90	4,80	24	40 07157 50290 2
1	3 ¹ / ₄ "	90mm	29mm	4,5	6		292 102 90	6,56	47	40 07157 50292 6
2	4"	98mm	34mm	6,0	6		292 203 90	9,28	74	40 07157 50294 0
2 NEW!	6"	98mm	34mm	6,0	6		292 207 90	11,07	108	40 07157 51903 0

200



200

\$



EAN-Code

Set 5 pcs.

200: 3 x 1 — 3,5 / 4,0 / 5,5

202: 2 x 1 — PH 1 / PH 2


200 951 98

24,68

347

40 07157 16052 2

200



200

\$



EAN-Code

Set 7 pcs.

200: 5 x 1 — 3,5 / 4,0 / 5,5

6,5 / 8,0

202: 2 x 1 — PH 1 / PH 2

200 972 98

38,78

579

40 07157 16054 6

Series Nm

Torque screwdrivers with precise adjustment

1

Coloured ring indicating torque range

0,6 – 1,5 Nm

1,5 – 3,0 Nm

3,0 – 5,4 Nm

2

Ergonomically refined handle with advanced 2-component design

3

Exchangeable blades for greatest flexibility in all areas of use



4


adjusted torque
0,6 – 5,4 Nm

loosening torque
100%



5

Easy adjustment of torque




6

Precise release – indicated by acoustic and mechanic signal


7

blades manufactured from chrome-molybdenum-vanadium steel



8

superior hardness which exceeds DIN and ISO requirements by up to 100%



9

black tip for precision fit



NEW!**100****0,6 Nm – 1,5 Nm**
Blade: CMV-Cro
Handle: PPC
**14 tlg.
pcs.**
**100****\$****EAN-Code****Nm-Box 0,6 Nm – 1,5 Nm**

100 991 16

140,84

1048

40 07157 **52039 5**

12 x 1

T6 / T7 / T8

IP6 / IP 7 / IP 8 / IP 9

3,0 x 0,5 / 3,5 x 0,6

PH0

PZ 0

Magnetic Bitholder

1 x 1

Handle 0,6 Nm - 1,5 Nm

Adjustment Tool

Metal Case: L: 220 mm, B: 110 mm, H: 35 mm

**NEW!****100****1,5 Nm – 3,0 Nm**
**14 tlg.
pcs.**
**100****\$****EAN-Code****Nm-Box 1,5 Nm – 3,0 Nm**

100 992 16

140,84

1066

40 07157 **52041 8**

12 x 1

T9 / T10 / T15

IP 9 / IP 10 / IP 15

4,0 x 0,8

PH 1 / PH 2

PZ 1 / PZ 2

Magnetic Bitholder

1 x 1

Handle 1,5 Nm – 3,0 Nm

Adjustment Tool

Metal Case: L: 220 mm, B: 110 mm, H: 35 mm

**NEW!****100****3,0 Nm – 5,4 Nm**
**14 tlg.
pcs.**
**100****\$****EAN-Code****Nm-Box 3,0 Nm – 5,4 Nm**

100 993 16

140,84

1071

40 07157 **52043 2**

12 x 1

T15 / T20 / T25

IP 9 / IP 10 / IP 15

4,0 x 0,8

PH 1 / PH 2

PZ 1 / PZ 2

Magnetic Bitholder

1 x 1

Handle 3,0 Nm – 5,4 Nm

Adjustment Tool

Metal Case: L: 220 mm, B: 110 mm, H: 35 mm





	a	b	c						
TX 6	3 ² / ₃ "	105	32	1/4"	1	108 061 16	60,36	185	40 07157 52047 0
TX 7	3 ² / ₃ "	105	32	1/4"	1	108 071 16	60,36	185	40 07157 52049 4
TX 8	3 ² / ₃ "	105	32	1/4"	1	108 083 16	60,36	185	40 07157 52051 7
TX 10	3 ² / ₃ "	105	32	1/4"	1	108 103 16	60,36	185	40 07157 52053 1
TX 15	3 ² / ₃ "	105	32	1/4"	1	108 153 16	60,36	187	40 07157 52055 5
IP 6	3 ² / ₃ "	105	32	1/4"	1	109 061 16	60,36	185	40 07157 52057 9
IP 7	3 ² / ₃ "	105	32	1/4"	1	109 071 16	60,36	185	40 07157 52059 3
IP 8	3 ² / ₃ "	105	32	1/4"	1	109 083 16	60,36	185	40 07157 52061 6
IP 10	3 ² / ₃ "	105	32	1/4"	1	109 103 16	60,36	186	40 07157 52063 0
IP 15	3 ² / ₃ "	105	32	1/4"	1	109 153 16	60,36	187	40 07157 52065 4
3,0 x 0,5	3 ² / ₃ "	105	32	1/4"	1	100 032 16	60,36	186	40 07157 52067 8
3,5 x 0,6	3 ² / ₃ "	105	32	1/4"	1	100 353 16	60,36	186	40 07157 52069 2
4,0 x 0,8	3 ² / ₃ "	105	32	1/4"	1	100 043 16	60,36	187	40 07157 52071 5
PH 0	3 ² / ₃ "	105	32	1/4"	1	102 001 16	60,36	186	40 07157 52073 9
PH 1	3 ² / ₃ "	105	32	1/4"	1	102 102 16	60,36	187	40 07157 52075 3
PH 2	3 ² / ₃ "	105	32	1/4"	1	102 203 16	60,36	189	40 07157 52077 7
PZ 0	3 ² / ₃ "	105	32	1/4"	1	101 001 16	60,36	186	40 07157 52079 1
PZ 1	3 ² / ₃ "	105	32	1/4"	1	101 102 16	60,36	187	40 07157 52081 4
PZ 2	3 ² / ₃ "	105	32	1/4"	1	101 203 16	60,36	189	40 07157 52083 8



	a	b	c							
TX 6	3 ² / ₃ "	105	32	1/4"	1	108 061 26	60,36	185	40 07157	52085 2
TX 7	3 ² / ₃ "	105	32	1/4"	1	108 071 26	60,36	185	40 07157	52087 6
TX 8	3 ² / ₃ "	105	32	1/4"	1	108 083 26	60,36	185	40 07157	52089 0
TX 9	3 ² / ₃ "	105	32	1/4"	1	108 093 26	60,36	185	40 07157	52091 3
TX 10	3 ² / ₃ "	105	32	1/4"	1	108 103 26	60,36	185	40 07157	52093 7
TX 15	3 ² / ₃ "	105	32	1/4"	1	108 153 26	60,36	187	40 07157	52095 1
TX 20	3 ² / ₃ "	105	32	1/4"	1	108 203 26	60,36	188	40 07157	52097 5
TX 25	3 ² / ₃ "	105	32	1/4"	1	108 253 26	60,36	188	40 07157	52099 9
IP 6	3 ² / ₃ "	105	32	1/4"	1	109 061 26	60,36	185	40 07157	52101 9
IP 7	3 ² / ₃ "	105	32	1/4"	1	109 071 26	60,36	188	40 07157	52103 3
IP 8	3 ² / ₃ "	105	32	1/4"	1	109 083 26	60,36	185	40 07157	52105 7
IP 9	3 ² / ₃ "	105	32	1/4"	1	109 093 26	60,36	185	40 07157	52107 1
IP 10	3 ² / ₃ "	105	32	1/4"	1	109 103 26	60,36	186	40 07157	52109 5
IP 15	3 ² / ₃ "	105	32	1/4"	1	109 153 26	60,36	187	40 07157	52111 8
3,0 x 0,5	3 ² / ₃ "	105	32	1/4"	1	100 032 26	60,36	186	40 07157	52113 2
3,5 x 0,6	3 ² / ₃ "	105	32	1/4"	1	100 35 326	60,36	186	40 07157	52117 0
4,0 x 0,8	3 ² / ₃ "	105	32	1/4"	1	100 043 26	60,36	187	40 07157	52115 6
PH 0	3 ² / ₃ "	105	32	1/4"	1	102 001 26	60,36	186	40 07157	52119 4
PH 1	3 ² / ₃ "	105	32	1/4"	1	102 102 26	60,36	187	40 07157	52121 7
PH 2	3 ² / ₃ "	105	32	1/4"	1	102 203 26	60,36	189	40 07157	52123 1
PZ 0	3 ² / ₃ "	105	32	1/4"	1	101 001 26	60,36	186	40 07157	52125 5
PZ 1	3 ² / ₃ "	105	32	1/4"	1	101 102 26	60,36	187	40 07157	52127 9
PZ 2	3 ² / ₃ "	105	32	1/4"	1	101 203 26	60,36	189	40 07157	52129 3

NEW!




Handle 3,0 Nm- 5,4 Nm
+ Blade



EAN-Code

	a	b	c						
TX 15	3 ² / ₃ "	105	32	1/4"	1	108 153 36	60,36	187	40 07157 52131 6
TX 20	3 ² / ₃ "	105	32	1/4"	1	108 203 36	60,36	188	40 07157 52133 0
TX 25	3 ² / ₃ "	105	32	1/4"	1	108 253 36	60,36	188	40 07157 52135 4
IP 9	3 ² / ₃ "	105	32	1/4"	1	109 093 36	60,36	185	40 07157 52137 8
IP10	3 ² / ₃ "	105	32	1/4"	1	109 103 36	60,36	186	40 07157 52139 2
IP15	3 ² / ₃ "	105	32	1/4"	1	109 153 36	60,36	187	40 07157 52141 5
4,0 x 0,8	3 ² / ₃ "	105	32	1/4"	1	100 043 36	60,36	187	40 07157 52143 9
PH 2	3 ² / ₃ "	105	32	1/4"	1	102 203 36	60,36	189	40 07157 52145 3
PZ 2	3 ² / ₃ "	105	32	1/4"	1	101 203 36	60,36	189	40 07157 52147 7

NEW!



EAN-Code

a								
TX 6	6 ³ / ₄ "	1/4"	1	108 061 04	7,11	39	40 07157	51991 7
TX 7	6 ³ / ₄ "	1/4"	1	108 071 04	7,11	39	40 07157	51993 1
TX 8	6 ³ / ₄ "	1/4"	1	108 083 04	7,11	39	40 07157	51995 5
TX 9	6 ³ / ₄ "	1/4"	1	108 093 04	7,11	39	40 07157	51997 9
TX 10	6 ³ / ₄ "	1/4"	1	108 103 04	7,11	39	40 07157	51999 3
TX 15	6 ³ / ₄ "	1/4"	1	108 153 04	7,11	41	40 07157	52001 2
TX 20	6 ³ / ₄ "	1/4"	1	108 203 04	7,11	42	40 07157	52003 6
TX 25	6 ³ / ₄ "	1/4"	1	108 253 04	7,11	42	40 07157	52005 0
IP 6	6 ³ / ₄ "	1/4"	1	109 061 04	7,11	39	40 07157	52007 4
IP 7	6 ³ / ₄ "	1/4"	1	109 071 04	7,11	39	40 07157	52009 8
IP 8	6 ³ / ₄ "	1/4"	1	109 083 04	7,11	39	40 07157	52011 1
IP 9	6 ³ / ₄ "	1/4"	1	109 093 04	7,11	39	40 07157	52013 5
IP 10	6 ³ / ₄ "	1/4"	1	109 103 04	7,11	40	40 07157	52015 9
IP 15	6 ³ / ₄ "	1/4"	1	109 153 04	7,11	41	40 07157	52017 3
3,0 x 0,5	6 ³ / ₄ "	1/4"	1	100 032 04	7,11	40	40 07157	52019 7
3,5 x 0,6	6 ³ / ₄ "	1/4"	1	100 353 04	7,11	40	40 07157	52021 0
4,0 x 0,8	6 ³ / ₄ "	1/4"	1	100 043 04	7,11	41	40 07157	52023 4
PH 0	6 ³ / ₄ "	1/4"	1	102 001 04	7,11	40	40 07157	52025 8
PH 1	6 ³ / ₄ "	1/4"	1	102 102 04	7,11	41	40 07157	52027 2
PH 2	6 ³ / ₄ "	1/4"	1	102 203 04	7,11	43	40 07157	52029 6
PZ 0	6 ³ / ₄ "	1/4"	1	101 001 04	7,11	40	40 07157	52031 9
PZ 1	6 ³ / ₄ "	1/4"	1	101 102 04	7,11	41	40 07157	52033 3
PZ 2	6 ³ / ₄ "	1/4"	1	101 203 04	7,11	43	40 07157	52035 7
Magnetholder	6 ³ / ₄ "	1/4"	1	118 125 04	7,11	61	40 07157	52037 1

NEW!



EAN-Code

Adjustment Tool	3 ³ / ₄ "	6mm	1	100 060 00	3,45	27	40 07157 52155 2
------------------------	---------------------------------	-----	---	------------	-------------	----	-------------------------

Series 240/250

felo Precision Screwdrivers (series 240 and 250) are setting the standards in all functional aspects

1

ergonomically refined design

2

freely rotating cap for minimal friction

3

hanging hole for easy storage or inserting lever

4

full-length polypropylene core

5

superior hardness and torque exceeding DIN and ISO standards

6

pleasant soft-grip outer material for added comfort

7

anti-roll handle design

8

felo Precision Screwdrivers are also available with ceramic blades or manufactured to ESD standards



9

blades manufactured from chrome-molybdenum-vanadium steel

10

black tip for precision fit

● **Functionality**
● **Quality**
● **Variety**

● **2-Component-Technology**

11

EAN code on every product






Blade: **CMV-Cro**
Handle: **PPC**

2-components

240



240

\$



EAN-Code

	a	b	c						
1,5 x 0,23	2 ³ / ₈ "	102mm	19mm	2,5	12	240 151 80	4,48	19	40 07157 31738 4
2,0 x 0,4	2 ³ / ₈ "	102mm	19mm	2,5	12	240 201 80	4,06	20	40 07157 31740 7
2,5 x 0,4	2 ³ / ₈ "	102mm	19mm	2,5	12	240 252 80	3,68	20	40 07157 31742 1
2,5 x 0,4	6"	102mm	19mm	2,5	12	240 255 80	4,52	25	40 07157 31744 5
2,5 x 0,4	8"	102mm	19mm	2,5	12	240 257 80	5,33	27	40 07157 31746 9
3,0 x 0,5	2 ³ / ₈ "	102mm	19mm	3,0	12	240 033 80	4,00	22	40 07157 31748 3
3,0 x 0,5	4"	102mm	19mm	3,0	12	240 035 80	4,20	25	40 07157 31750 6
3,0 x 0,5	8"	102mm	19mm	3,0	12	240 037 80	5,32	30	40 07157 31752 0
3,5 x 0,6	4"	102mm	19mm	3,5	12	240 353 80	4,06	26	40 07157 31754 4
3,5 x 0,6	6"	102mm	19mm	3,5	12	240 355 80	4,55	29	40 07157 31756 8
3,5 x 0,6	9 ³ / ₄ "	102mm	19mm	3,5	12	240 358 80	5,98	36	40 07157 31758 2
4,0 x 0,8	4"	102mm	19mm	4,0	12	240 043 80	4,35	28	40 07157 31760 5
4,0 x 0,8	6"	102mm	19mm	4,0	12	240 045 80	4,95	33	40 07157 31762 9
4,0 x 0,8	8"	102mm	19mm	4,0	12	240 047 80	6,09	38	40 07157 31764 3



Blade: **CMV-Cro**
Handle: **PPC**

2-components

242



242

\$



EAN-Code

PH	a	b	c						
000	2 ³ / ₈ "	102mm	19mm	2,5	12	242 000 80	6,44	20	40 07157 31770 4
00	2 ³ / ₈ "	102mm	19mm	2,5	12	242 009 80	5,20	20	40 07157 31772 8
0	2 ³ / ₈ "	102mm	19mm	3,0	12	242 001 80	4,20	21	40 07157 31774 2
1	3 ¹ / ₄ "	102mm	19mm	4,5	12	242 102 80	4,86	31	40 07157 31776 6
1	6"	102mm	19mm	4,5	12	242 105 80	5,59	40	40 07157 31778 0

248




Blade: MV-Cro
Handle: PPC

2-components



Torx




248



EAN-Code

	a	b	c						
5	2 3/8"	102mm	19mm	3,0	12	248 051 80	5,72	21	40 07157 31790 2
6	2 3/8"	102mm	19mm	3,0	12	248 061 80	5,59	22	40 07157 31792 6
7	2 3/8"	102mm	19mm	3,0	12	248 071 80	5,59	22	40 07157 31794 0
8	2 3/8"	102mm	19mm	3,0	12	248 081 80	5,59	22	40 07157 31796 4
9	2 3/8"	102mm	19mm	3,5	12	248 091 80	5,95	24	40 07157 31798 8
10	4"	102mm	19mm	3,5	12	248 103 80	6,02	28	40 07157 31800 8
10	9 3/4"	102mm	19mm	3,5	6	248 108 80	9,66	30	40 07157 50276 6
15	4"	102mm	19mm	4,0	12	248 153 80	6,24	29	40 07157 31802 2
15	9 3/4"	102mm	19mm	4,0	6	248 158 80	8,28	32	40 07157 50278 0
20	9 3/4"	102mm	19mm	4,0	6	248 208 80	7,59	34	40 07157 50280 3

240



2-components

240



EAN-Code



Box 6 pcs.

240: 4 x 1 — 1,5 / 2,0 / 2,5 / 3,0

242: 2 x 1 — Phillips 00 / Phillips 0

Set 6 pcs.

248: 4 x 1 — Torx 6 / Torx 7 / Torx 8 / Torx 9

246: 2 x 1 — SW 1,5 / SW 2,0

240 961 86

27,38

200

40 07157 **31844** 2

248 961 86

32,06

200

40 07157 **31846** 6



240



2-components



240



EAN-Code



Combi-Display

240: 5 x 1 240 961 86

242: 5 x 1 PH 0 x 60 / PH 1 x 80

240: 5 x 1 1,5 x 60 / 2,0 x 60

W: 220 mm

H: 290 mm

D: 250 mm

240 952 80

293,83

1300

40 07157 **51801 9**

240



2-components



240



EAN-Code



Display 48-pcs.

242: 6 x 1 — PH 000 x 60 / PH 00 x 60 / PH 0 x 60 / PH 1 x 80

240: 6 x 1 — 1,5 x 60 / 2,0 x 60 / 2,5 x 60 / 3,0 x 200

B: 250 mm

H: 290 mm

T: 150 mm


240 993 80

291,00

1700


40 07157 **51803 3**





280

2-components



280



EAN-Code



T 4 - Box I, 7 pcs.

280 907 06

48,51

161

40 07157 **50723 5**

6 x Blade
1,5 - 3,0 / 2,0 - 3,5 / 2,5 - 4,0
PH 1 - PH 0 / PH 00 - PH 000
PZ 1 - PZ 0
1x Handle 102 x 19 mm



T 4 - Box II, 7 pcs.

280 907 16

46,90

161

40 07157 **50725 9**

6 x Blade
SW 1,3 - 4,0 / 1,5 - 2,0 / 2,5 - 3,0
Torx 6 - Torx 15 / Torx 7 - Torx 10 / Torx 8 - Torx 9
1x Handle 102 x 19 mm



T 4 - Box III, 7 pcs.



280 907 26

45,76

161

40 07157 **50727 3**

6 x Blade
2,0 - 3,5
PH1 - PH 0 / PH 00 - PH 000
Torx 6 - Torx 15 / Torx 7 - Torx 10 / Torx 8 - Torx 9
1 x Handle 102 x 19 mm



280



EAN-Code

a

1,5 x 0,25	4 ⁷ / ₁₆ "	4 mm	1	280 153 14	6,68	12	40 07157 50729 7
- 3,0 x 0,5							
2,0 x 0,4	4 ⁷ / ₁₆ "	4 mm	1	280 235 14	6,34	12	40 07157 50731 0
- 3,5 x 0,6							
2,5 x 0,4	4 ⁷ / ₁₆ "	4 mm	1	280 245 14	6,19	12	40 07157 50733 4
- 4,0 x 0,8							
PH 00	4 ⁷ / ₁₆ "	4 mm	1	282 000 14	6,24	12	40 07157 50737 2
- PH 000							
PH 1 - PH 0	4 ⁷ / ₁₆ "	4 mm	1	282 001 14	5,45	12	40 07157 50735 8
PZ 1 - PZ 0	4 ⁷ / ₁₆ "	4 mm	1	281 010 14	5,45	12	40 07157 50739 6
SW 1,3 - SW 4	4 ⁷ / ₁₆ "	4 mm	1	284 134 14	5,94	12	40 07157 50741 9
SW 1,5 - SW 2	4 ⁷ / ₁₆ "	4 mm	1	284 152 14	5,94	12	40 07157 50743 3
SW 2,5 - SW 3	4 ⁷ / ₁₆ "	4 mm	1	284 253 14	5,94	12	40 07157 50745 7
Torx 6 - Torx 15	4 ⁷ / ₁₆ "	4 mm	1	286 615 14	5,94	12	40 07157 50747 1
Torx 7 - Torx 10	4 ⁷ / ₁₆ "	4 mm	1	286 710 14	5,94	12	40 07157 50749 5
Torx 8 - Torx 9	4 ⁷ / ₁₆ "	4 mm	1	286 890 14	5,94	12	40 07157 50751 8



250



Blade: **CMV-Cro**
Handle: **PPC**



ESD Safe $10^8 - 10^{10} \Omega$
2-components

									
		a	b	c		250		g	EAN-Code
1,5 x 0,23		2 3/8"	102mm	19mm	2,5 12	250 151 80	5,01	19	40 07157 31806 0
2,0 x 0,4		2 3/8"	102mm	19mm	2,5 12	250 201 80	4,38	19	40 07157 31808 4
2,5 x 0,4		2 3/8"	102mm	19mm	2,5 12	250 252 80	4,27	19	40 07157 31810 7
3,0 x 0,5		2 3/8"	102mm	19mm	3,0 12	250 033 80	3,90	20	40 07157 31812 1
3,0 x 0,5		4"	102mm	19mm	3,0 12	250 035 80	4,44	22	40 07157 31814 5

252




Blade: **CMV-Cro**
Handle: **PPC**



ESD Safe $10^8 - 10^{10} \Omega$
2-components

									
		a	b	c		252		g	EAN-Code
PH									
00		2 3/8"	102mm	19mm	2,0 12	252 009 80	5,39	20	40 07157 31816 9
0		2 3/8"	102mm	19mm	3,0 12	252 001 80	4,69	20	40 07157 31818 3
1		3 1/4"	102mm	19mm	4,5 12	252 102 80	4,74	20	40 07157 31820 6

250




ESD Safe $10^8 - 10^{10} \Omega$
2-components

									
		a	b	c		250		g	EAN-Code
ESD Box 7 pcs.						250 961 86	27,00	200	40 07157 31848 0
250: 4 x 1		1,5 / 2,0 / 2,5 / 3,0							
252: 2 x 1		Phillips 00 / Phillips 0							

T-Handles

Made by professionals for professionals



Without soft-grip coating:
extreme pressure points



With soft-grip coating:
reduced pressure points



1 The special advantage:

ergonomically refined soft grip coating

2

new 2-component handle for added comfort

3

ergonomically refined design

4

matt chrome-plated blades with black tips for precision fit

5

EAN code on every product



6

hanging hole for easy storage or inserting lever

7

strong, durable core for the highest torque

8

blades made from chrome-vanadium and chrome-molybdenum-vanadium

9

superior hardness which exceeds DIN and ISO standards

10

GS tested for safety



308



Blade: CMV-Cro
Handle: PPC

2-components

Torx	a	b			308	\$	g	EAN-Code
10	5"	100mm	3,5	8	308 103 80	4,50	83	40 07157 50813 3
15	5"	100mm	4,0	8	308 153 80	4,55	83	40 07157 50815 7
20	5"	100mm	5,0	8	308 204 80	5,90	83	40 07157 32316 3
20	8"	100mm	5,0	8	308 207 80	5,90	95	40 07157 32318 7
25	5"	100mm	5,0	8	308 254 80	5,95	83	40 07157 32320 0
25	8"	100mm	5,0	8	308 257 80	5,95	95	40 07157 32322 4
27	8"	100mm	5,0	8	308 277 80	6,95	95	40 07157 32324 8
30	8"	100mm	6,0	8	308 307 80	6,95	113	40 07157 32326 2
40	8"	100mm	8,0	8	308 407 80	7,55	151	40 07157 32328 6
45	5 1/2"	100mm	8,0	8	308 455 80	7,95	128	40 07157 32330 9



Bitholder

Blade: CMV-Cro
Handle: PPC


2-components

338



1/4"	a	b			338	\$	g	EAN-Code
1/4"	5"	100mm		6	338 125 80	9,68	111	40 07157 32350 7


308



Set 6 pcs. 308: 6 x 1	T10 / T15 / T20 / T25 / T27 / T30	308 962 84	33,95	600	40 07157 50849 2
Set 6 pcs. 308: 6 x 1	T20 / T25 / T27 / T30 / T40 / T45	308 961 84	39,95	700	40 07157 50783 9

Esmart

The first compact smart tool for electricians.



1. 12 interchangeable IEC screwdriver blades with 2-component handle in sturdy smart box
2. every screwdriver individually tested to 10.000 Volts, fully conforming to DIN EN 609000
3. secure fit of blades, quick-release button on handle against unwanted extraction
4. precision cap and soft-grip zone on blades for low torque application

063



Blade: CMV-Cro
Handle: CA

13 tlg.
pcs.



IEC 900
EN 60900



063



EAN-Code



Felo E-SMART Box

12 x 1

Blade

2,5x0,4 / 3,0x0,5 / 3,5x0,6 / 4,0x0,8 / 5,5x1,0 / 6,5x1,2

PH1 / PH2

PZ2

T10 / T15 / T20

1 x 1

Handle 105 x 39 mm

1 x 1

Precision Cap

Metal Case L: 220 mm, B: 110 mm, H: 35 mm


063 913 06

78,26

900

40 07157 51719 7

063



063



EAN-Code

	2,5 x 0,4	3"	1	063 025 04	6,61	44	40 07157 51721 0
	3,0 x 0,5	4"	1	063 030 04	6,61	44	40 07157 51723 4
	3,5 x 0,6	4"	1	063 035 04	6,61	44	40 07157 51725 8
	4,0 x 0,8	4"	1	063 040 04	6,61	44	40 07157 51727 2
	5,5 x 1,0	4"	1	063 055 04	6,61	44	40 07157 51729 6
	6,5 x 1,2	4"	1	063 065 04	6,61	44	40 07157 51731 9
	PH1	3 1/3"	1	063 102 04	6,61	44	40 07157 51733 3
	PH2	4"	1	063 203 04	6,61	44	40 07157 51735 7
	PZ1	3 1/3"	1	063 102 14	6,61	44	40 07157 51737 1
	PZ2	4"	1	063 203 14	6,61	44	40 07157 51739 5
	T8	4"	1	063 083 04	6,61	44	40 07157 51741 8
	T10	4"	1	063 103 04	6,61	44	40 07157 51743 2
	T15	4"	1	063 153 04	6,61	44	40 07157 51745 6
	T20	4"	1	063 203 24	6,61	44	40 07157 51747 0

063



063



EAN-Code

Handle

063 105 00 **14,73** 40 40 07157 **51749** 4

060



060




EAN-Code

Display 8-pcs. B: 275 mm 060 986 00 **597,28** 7670 40 07157 **51847** 7
 8 x E-Smart Box 063 913 06
 H: 185 mm
 T: 280 mm

020



frico 2-components



020




EAN-Code



E-Pro 6 020 912 06 **21,55** 218 40 07157 **51427** 1
518: 1 x 1 1/4" x 105
020: 4 x 1 3,0 x 0,5 / 4,0 x 0,8 / 5,5 x 1,0 / 7,0 x 1,2
021: 2 x 1 PZ 1 / PZ 2
022: 3 x 1 PH 0 / PH 1 / PH 2
026: 2 x 1 T20 / T15

felo smart

**No compromises.
Professional quality and great versatility.**



- 1.** screwdriver and T-handle in one
- 2.** replaces 48 single tools
- 3.** fitting the complete 1/4" range
- 4.** handle made of cellulose acetate: high impact resistant, free of cadmium, temperature and age-proof
- 5.** ergonomically refined design
- 6.**  – tested for safety
- 7.** handle with anti-roll shape
- 8.** blades made from high-quality bit-steels, exceeding the DIN/ISO requirements by up to 100%
- 9.** black tip for precision and fit

060



Blade: **CMV-Cro**
Handle: **CA**



13 pcs.



060

\$



EAN-Code

**Felo-SMART Box - Metric**

060 913 06

89,90

1138

40 07157 **32094 0**

12 x 1

Blade

PH1 - 4,0 / PH 2 - PH 3 / PZ 1 - 5,0 / PZ 2 - 6,0

PZ3 - 7,0 / SW 3 - SW 4 / SW 5 - SW 6 / Torx 06 - Torx 07

Torx 08 - Torx 09 / Torx 10 - Torx 15 / Torx 20 - Torx 25 / Torx 30 - Torx 40

1 x 1

Handle 105 x 39 mm

Metal Case L: 220 mm, B: 110 mm, H: 35 mm

060



Blade: **CMV-Cro**
Handle: **CA**



13 pcs.



060

\$



EAN-Code

**Felo-SMART Box - Inch**

060 913 16

89,90

1138

40 07157 **50630 6**

Handle, PH 1 - 3/16" Slotted, PH 2 - 1/4" Slotted,
T6 - T7, T8 - T9, T10 - T15, T20 - T25, T30 - T40,
7/64" - 1/8" Hex, 9/64" - 5/32" Hex, 3/16" - 1/4" Hex,
3mm - 4mm Hex, 5mm - 6mm Hex

060



29 pcs.



060

\$



EAN-Code

**Felo-SMART II**

060 915 06

89,90

1130

40 07157 **32398 9**

16 x 1

Bits C6,3 x 25m

PH 1 / PH 2 / PH 3 / PZ 1 / PZ 2 / PZ 3

SW 5 / SW 6 / 3,5 x 0,6 / 5,0 x 0,8 / 6,5 x 1,2

Torx15 / Torx 20 / Torx 25 / Torx 30 / Torx 40

1 x 1

Bit Holder with Quick-Release Chuck

7 x 1

Socket

4 mm / 5 mm / 5,5 mm / 6 mm / 8 mm / 10 mm / 13 mm

1 x 1

Adapter 1/4" - 1/4" (Art.No. 097 018 10)

1 x 1

Extention 1/4" - 1/4" (Art.No. 097 150 14)

1 x 1

Extention for Sockets 75 mm

1 x 1

Profi Ratchet 1/4"

1 x 1

Handle 105 x 39 mm

Metal Case L: 220 mm, B: 110 mm, H: 35 mm

060



Blade: **CMV-Cro**
Handle: **CA**



9 pcs.



060

\$



EAN-Code



Felo-SMART, belt pouch Pz - Hex - Tx

8 x 1

Blade

PH 1 - 4,0 / PH 2 - PH 3 / PZ 1 - 5,0 / PZ 2 - 6,0

PZ 3 - 7,0 / SW 5 - SW 6 / Torx 20 - Torx 25 / Torx 30 - Torx 40

1 x 1

Handle 105 x 39 mm

Nylon Pouch

060 909 04

74,50

520

40 07157 **32126 8**

060



Blade: **CMV-Cro**
Handle: **CA**



9 pcs.



060

\$



EAN-Code



Felo-SMART, belt pouch

Handle, PH 3 - 1/8" Slotted, PH 1 - 3/16" Slotted,

PH 2 - 1/4" Slotted, T6 - T7, T8 - T9,

T10 - T15, T20 - T25, T30 - T40

060 909 14

74,50

520

40 07157 **50624 5**



069



Handle

069



EAN-Code

069 105 00

9,95

108

40 07157 32180 0

389



Nylon Pouch
Metal Case

389



EAN-Code

389 900 00

9,95

50

40 07157 50456 2

389 130 00

9,95

521

40 07157 50632 0

Series 370

Allround versatility and advanced ergonomics

NEW



1 telescopic depot for 7 bits (pat. Pending)

2 easy to reach bits safely stored inside the handle

3 ergonomically refined handle design for highest comfort and heavy duty use

4 pleasant soft-grip outer material for highest torque



bitholder with stainless steel sleeve and extremely strong magnet



professional reversible ratchet – max. torque > 24 Nm



extra long blade for workplaces difficult to reach

NEW!

376



376



EAN-Code



1 x **Magazine Handle Bitholder on card**
8 x Bits C 6,3 x 25 mm
0,6 x 4,5 / 1,0 x 5,5 / 1,2 x 6,5
PH0 / PH1 / PH2 / PZ1 / PZ2

6

376 041 05

17,50

190

40 07157 52221 4

NEW!

374



374



EAN-Code



1 x **Magazine Handle with Ratchet on card**
8 x Bits C 6,3 x 25 mm
0,6 x 4,5 / 1,0 x 5,5 / 1,2 x 6,5
PH0 / PH1 / PH2 / PZ1 / PZ2

6

374 004 05

27,40

220

40 07157 52223 8



1 x **Magazine Handle with Ratchet on card**
8 x 1,0 x 5,5
PH1 / PH2 / PZ1 / PZ2
TX 15 / TX 20 / TX 25

6

374 204 05

27,45

220

40 07157 52225 2

NEW!

373



373



EAN-Code



Bit Boy on card
8 x 0,6 x 4,5 / 1,0 x 5,5 / 1,2 x 6,5
PH0 / PH1 / PH2 / PZ1 / PZ2

6

373 108 05

16,40

190

40 07157 52227 6



Bit Boy on card
8 x 1,0 x 5,5
PH1 / PH2 / PZ1 / PZ2
TX15 / TX20 / TX25

6


373 208 05

16,45

190

40 07157 52229 0

felo Bits



Your best choice: »felo Bits

- 1.** precision tools for heavy-duty use, manufactured from long-lasting steels.
- 2.** flexible manufacturing facilities for fast and economic production of customized series.
- 3.** superior hardness and torque, exceeding DIN and ISO requirements.
- 4.** comprehensive range.
- 5.** extra precision achieved by profilated – not pressed – bits.
- 6.** clearly defined quality standards and complete documentation by our ISO 9001 and QS 9000 certified QM-system.




Diamond

**020
C 6,3**




Diamond

					020	\$		EAN-Code
	a							
4,5 x 0,6	1"	C 6,3	1/4"	10	020 400 80	4,59	5	40 07157 50647 4
5,5 x 1,0	1"	C 6,3	1/4"	10	020 520 80	4,59	5	40 07157 50649 8
6,5 x 1,2	1"	C 6,3	1/4"	10	020 610 80	4,59	5	40 07157 50651 1
8,0 x 1,2	1"	C 6,3	1/4"	10	020 800 80	4,59	6	40 07157 50653 5

**021
C 6,3**




Diamond

					021	\$		EAN-Code
PZ	a							
1	1"	C 6,3	1/4"	10	021 010 80	3,90	5	40 07157 50661 0
2	1"	C 6,3	1/4"	10	021 020 80	3,90	5	40 07157 50663 4
3	1"	C 6,3	1/4"	10	021 030 80	3,90	6	40 07157 50665 8

**022
C 6,3**



Diamond

					022	\$		EAN-Code
PH	a							
1	1"	C 6,3	1/4"	10	022 010 80	3,85	5	40 07157 50655 9
2	1"	C 6,3	1/4"	10	022 020 80	3,85	5	40 07157 50657 3
3	1"	C 6,3	1/4"	10	022 030 80	3,85	6	40 07157 50659 7

032 E 6,3



Diamond



PH



a



032


\$



EAN-Code

1	2"	E 6,3	1/4"	10	032 015 80	5,78	8	40 07157 50679 5
2	2"	E 6,3	1/4"	10	032 025 80	5,78	11	40 07157 50681 8
3	2"	E 6,3	1/4"	10	032 035 80	5,78	13	40 07157 50683 2

020 C 6,3



a



020

\$




EAN-Code

0,5 x 4,0	1"	C 6,3	1/4"	10	020 210 10	0,85	4	40 07157 24037 8
0,5 x 3,0	1"	C 6,3	1/4"	10	020 300 10	1,04	4	40 07157 30066 9
0,6 x 3,5	1"	C 6,3	1/4"	10	020 310 10	0,74	4	40 07157 30070 6
0,6 x 4,5	1"	C 6,3	1/4"	10	020 400 10	0,74	4	40 07157 30904 4
0,8 x 4,0	1"	C 6,3	1/4"	10	020 410 10	0,75	4	40 07157 30079 9
0,8 x 5,0	1"	C 6,3	1/4"	10	020 500 10	0,75	5	40 07157 30089 8
0,8 x 5,5	1"	C 6,3	1/4"	10	020 510 10	0,75	5	40 07157 30097 3
1,0 x 5,5	1"	C 6,3	1/4"	10	020 520 10	0,75	5	40 07157 30105 5
1,0 x 6,0	1"	C 6,3	1/4"	10	020 600 10	0,75	6	40 07157 30112 3
1,2 x 6,5	1"	C 6,3	1/4"	10	020 610 10	0,75	6	40 07157 30119 2
1,2 x 8,0	1"	C 6,3	1/4"	10	020 800 10	1,04	7	40 07157 30918 1

021 C 6,3



PZ



a



021

\$



EAN-Code

0	1"	C 6,3	1/4"	10	021 000 10	0,77	5	40 07157 24025 5
1	1"	C 6,3	1/4"	10	021 010 10	0,59	5	40 07157 30159 8
2	1"	C 6,3	1/4"	10	021 020 10	0,59	5	40 07157 30169 7
3	1"	C 6,3	1/4"	10	021 030 10	0,59	6	40 07157 30180 2
4	1 1/4"	C 6,3	1/4"	10	021 042 10	2,22	12	40 07157 30190 1

022 C 6,3



				022	\$		EAN-Code
PH	a						
0	1"	C 6,3	1/4"	10	022 000 10	0,77	5 40 07157 30937 2
1	1"	C 6,3	1/4"	10	022 010 10	0,50	5 40 07157 30193 2
2	1"	C 6,3	1/4"	10	022 020 10	0,50	5 40 07157 30205 2
3	1"	C 6,3	1/4"	10	022 030 10	0,50	6 40 07157 30218 2
4	1 1/4"	C 6,3	1/4"	10	022 042 10	2,22	12 40 07157 30229 8

023 C 6,3



				023	\$		EAN-Code
TorxPlus	a						
06 IP	1"	C 6,3	1/4"	10	023 060 10	2,31	4 40 07157 51341 0
07 IP	1"	C 6,3	1/4"	10	023 070 10	2,31	4 40 07157 51343 4
08 IP	1"	C 6,3	1/4"	10	023 080 10	2,31	4 40 07157 51345 8
09 IP	1"	C 6,3	1/4"	10	023 090 10	2,31	4 40 07157 51347 2
10 IP	1"	C 6,3	1/4"	10	023 100 10	2,09	4 40 07157 51349 6
15 IP	1"	C 6,3	1/4"	10	023 150 10	2,04	4 40 07157 51351 9
20 IP	1"	C 6,3	1/4"	10	023 200 10	1,93	5 40 07157 51353 3
25 IP	1"	C 6,3	1/4"	10	023 250 10	1,93	5 40 07157 51355 7
27 IP	1"	C 6,3	1/4"	10	023 270 10	1,93	6 40 07157 51357 1
30 IP	1"	C 6,3	1/4"	10	023 300 10	1,93	6 40 07157 51359 5
40 IP	1"	C 6,3	1/4"	10	023 400 10	1,87	6 40 07157 51361 8

024 C 6,3




				024	\$		EAN-Code
SW	a						
2,0	1"	C 6,3	1/4"	10	024 200 10	1,27	4 40 07157 30952 5
2,5	1"	C 6,3	1/4"	10	024 250 10	1,16	4 40 07157 30253 3
3,0	1"	C 6,3	1/4"	10	024 300 10	1,10	5 40 07157 30255 7
4,0	1"	C 6,3	1/4"	10	024 400 10	1,10	5 40 07157 30257 1
5,0	1"	C 6,3	1/4"	10	024 500 10	1,10	6 40 07157 30259 5
6,0	1"	C 6,3	1/4"	10	024 600 10	1,05	6 40 07157 30261 8
8,0	1"	C 6,3	1/4"	10	024 800 10	2,00	9 40 07157 30263 2

025 C 6,3



SQ



a



025

\$



EAN-Code

	a							
0	1"	C 6,3	1/4"	10	025 000 10	1,49	5	40 07157 50350 3
1	1"	C 6,3	1/4"	10	025 100 10	1,43	5	40 07157 50352 7
2	1"	C 6,3	1/4"	10	025 200 10	1,27	5	40 07157 50354 1
3	1"	C 6,3	1/4"	10	025 300 10	1,27	5	40 07157 50356 5

026 C 6,3



Torx



a



026

\$



EAN-Code

	a							
5	1"	C 6,3	1/4"	10	026 050 10	1,20	4	40 07157 50779 2
6	1"	C 6,3	1/4"	10	026 060 10	1,20	4	40 07157 30953 2
7	1"	C 6,3	1/4"	10	026 070 10	1,20	4	40 07157 30954 9
8	1"	C 6,3	1/4"	10	026 080 10	1,15	4	40 07157 30955 6
9	1"	C 6,3	1/4"	10	026 090 10	1,15	4	40 07157 30956 3
10	1"	C 6,3	1/4"	10	026 100 10	0,95	4	40 07157 30957 0
15	1"	C 6,3	1/4"	10	026 150 10	0,95	4	40 07157 30959 4
20	1"	C 6,3	1/4"	10	026 200 10	0,95	5	40 07157 30961 7
25	1"	C 6,3	1/4"	10	026 250 10	0,95	5	40 07157 30963 1
27	1"	C 6,3	1/4"	10	026 270 10	0,95	6	40 07157 30965 5
30	1"	C 6,3	1/4"	10	026 300 10	0,95	6	40 07157 30967 9
40	1"	C 6,3	1/4"	10	026 400 10	0,95	6	40 07157 30969 3
45	1"	C 6,3	1/4"	10	026 450 10	0,95	8	40 07157 32076 6

027 C 6,3



TorxTR



a



027

\$



EAN-Code

	a							
7	1"	C 6,3	1/4"	10	027 070 10	1,80	4	40 07157 50771 6
8	1"	C 6,3	1/4"	10	027 080 10	1,80	4	40 07157 50773 0
9	1"	C 6,3	1/4"	10	027 090 10	1,80	4	40 07157 50775 4
10	1"	C 6,3	1/4"	10	027 100 10	1,75	4	40 07157 30971 6
15	1"	C 6,3	1/4"	10	027 150 10	1,75	4	40 07157 30972 3
20	1"	C 6,3	1/4"	10	027 200 10	1,75	5	40 07157 30973 0
25	1"	C 6,3	1/4"	10	027 250 10	1,75	5	40 07157 30974 7
27	1"	C 6,3	1/4"	10	027 270 10	1,75	6	40 07157 30975 4
30	1"	C 6,3	1/4"	10	027 300 10	1,65	6	40 07157 30976 1
40	1"	C 6,3	1/4"	10	027 400 10	1,65	6	40 07157 30977 8

028 C 6,3



XZN



a



028

\$



EAN-Code

M	4	1"	C 6,3	1/4"	10	028 040 10	2,46	5	40 07157 50360 2
M	5	1"	C 6,3	1/4"	10	028 050 10	2,46	5	40 07157 50362 6
M	6	1"	C 6,3	1/4"	10	028 060 10	2,46	5	40 07157 50364 0
M	8	1"	C 6,3	1/4"	10	028 080 10	2,46	5	40 07157 50366 4
M	10	1"	C 6,3	1/4"	10	028 100 10	2,52	5	40 07157 50368 8

029 C 6,3



TS



a



029

\$




EAN-Code

0	1"	C 6,3	1/4"	10	029 000 10	2,58	5	40 07157 50370 1
1	1"	C 6,3	1/4"	10	029 010 10	2,58	5	40 07157 50372 5
2	1"	C 6,3	1/4"	10	029 020 10	2,58	5	40 07157 50374 9
3	1"	C 6,3	1/4"	10	029 030 10	2,58	5	40 07157 50376 3
4	1"	C 6,3	1/4"	10	029 040 10	2,37	5	40 07157 50378 7
5	1"	C 6,3	1/4"	10	029 050 10	2,37	5	40 07157 50380 0
6	1"	C 6,3	1/4"	10	029 060 10	2,37	5	40 07157 50382 4



030 E 6,3



030


\$



EAN-Code

	a							
0,5 x 3,0	2"	E 6,3	1/4"	10	030 305 10	1,54	7	40 07157 30772 9
0,6 x 3,5	2"	E 6,3	1/4"	10	030 315 10	1,43	7	40 07157 30275 5
0,8 x 4,0	2"	E 6,3	1/4"	10	030 415 10	1,44	8	40 07157 30277 9
0,6 x 4,5	2"	E 6,3	1/4"	10	030 455 10	1,44	8	40 07157 30779 8
0,8 x 5,0	2"	E 6,3	1/4"	10	030 505 10	1,44	9	40 07157 30280 9
0,8 x 5,5	2"	E 6,3	1/4"	10	030 515 10	1,44	10	40 07157 30283 0
1,0 x 5,5	2"	E 6,3	1/4"	10	030 525 10	2,16	10	40 07157 30285 4
1,0 x 6,0	2"	E 6,3	1/4"	10	030 605 10	1,44	10	40 07157 30287 8
1,2 x 6,5	2"	E 6,3	1/4"	10	030 615 10	1,44	12	40 07157 30290 8
1,2 x 8,0	2"	E 6,3	1/4"	10	030 805 10	2,24	14	40 07157 30292 2
1,6 x 8,0	2"	E 6,3	1/4"	10	030 815 10	2,24	14	40 07157 30294 6
1,6 x 10,0	2"	E 6,3	1/4"	10	030 105 10	2,54	17	40 07157 30272 4

031 E 6,3



031

\$



EAN-Code

PZ	a							
1	2"	E 6,3	1/4"	10	031 015 10	1,32	8	40 07157 30309 7
2	2"	E 6,3	1/4"	10	031 025 10	1,32	11	40 07157 30312 7
3	2"	E 6,3	1/4"	10	031 035 10	1,71	13	40 07157 30315 8

032 E 6,3



								
PH	a							
0	2"	E 6,3	1/4"	10	032 005 10	1,80	13	40 07157 51015 0
1	2"	E 6,3	1/4"	10	032 015 10	1,21	8	40 07157 30317 2
2	2"	E 6,3	1/4"	10	032 025 10	1,21	11	40 07157 30320 2
3	2"	E 6,3	1/4"	10	032 035 10	1,65	13	40 07157 30323 3

033 E 6,3



				033	\$		EAN-Code
TorxPlus	a						
10 IP	2"	E 6,3	1/4"	10	033 105 10	3,52	10 40 07157 51363 2
15 IP	2"	E 6,3	1/4"	10	033 155 10	3,52	10 40 07157 51365 6
20 IP	2"	E 6,3	1/4"	10	033 205 10	3,52	11 40 07157 51367 0
25 IP	2"	E 6,3	1/4"	10	033 255 10	3,52	11 40 07157 51369 4
30 IP	2"	E 6,3	1/4"	10	033 305 10	3,52	11 40 07157 51371 7

034 E 6,3




				034	\$		EAN-Code
SW	a						
3,0	2"	E 6,3	1/4"	10	034 305 10	1,43	9 40 07157 30327 1
4,0	2"	E 6,3	1/4"	10	034 405 10	1,32	10 40 07157 30329 5
5,0	2"	E 6,3	1/4"	10	034 505 10	1,32	10 40 07157 30331 8

036 E 6,3



Torx



a



036

\$



EAN-Code

Torx	a							
5	2"	E 6,3	1/4"	10	036 055 10	2,64	10	40 07157 50973 4
6	2"	E 6,3	1/4"	10	036 065 10	2,49	10	40 07157 51375 5
7	2"	E 6,3	1/4"	10	036 075 10	2,42	10	40 07157 51377 9
8	2"	E 6,3	1/4"	10	036 085 10	2,55	9	40 07157 30834 4
9	2"	E 6,3	1/4"	10	036 095 10	2,55	9	40 07157 30835 1
10	2"	E 6,3	1/4"	10	036 105 10	2,45	10	40 07157 30836 8
15	2"	E 6,3	1/4"	10	036 155 10	2,45	10	40 07157 24026 2
20	2"	E 6,3	1/4"	10	036 205 10	2,45	11	40 07157 30839 9
25	2"	E 6,3	1/4"	10	036 255 10	2,45	11	40 07157 30841 2
27	2"	E 6,3	1/4"	10	036 275 10	2,45	11	40 07157 30843 6
30	2"	E 6,3	1/4"	10	036 305 10	2,30	11	40 07157 30845 0
40	2"	E 6,3	1/4"	10	036 405 10	2,25	12	40 07157 30847 4

030 E 6,3



a



030

\$



EAN-Code

	a							
0,5 x 3,0	3"	E 6,3	1/4"	5	030 307 10	2,80	7	40 07157 30274 8
0,6 x 3,5	3"	E 6,3	1/4"	5	030 317 10	2,54	8	40 07157 30773 6
0,8 x 4,0	3"	E 6,3	1/4"	5	030 417 10	2,47	9	40 07157 30279 3
1,0 x 5,5	3"	E 6,3	1/4"	5	030 527 10	2,28	13	40 07157 30787 3
1,2 x 6,5	3"	E 6,3	1/4"	5	030 617 10	2,21	17	40 07157 30794 1

031 E 6,3



PZ	a				031	\$	g	EAN-Code
1	3"	E 6,3	1/4"	5	031 017 10	2,09	11	40 07157 30311 0
2	3"	E 6,3	1/4"	5	031 027 10	3,42	15	40 07157 30314 1
3	3"	E 6,3	1/4"	5	031 037 10	3,42	22	40 07157 30815 3

032 E 6,3



PH	a				032	\$	g	EAN-Code
1	3"	E 6,3	1/4"	5	032 017 10	1,98	11	40 07157 30319 6
2	3"	E 6,3	1/4"	5	032 027 10	1,87	15	40 07157 30322 6
3	3"	E 6,3	1/4"	5	032 037 10	1,87	22	40 07157 30833 7

035 E 6,3




SQ	a				035	\$	g	EAN-Code
0	3"	E 6,3	1/4"	5	035 007 10	2,80	22	40 07157 31520 5
1	3"	E 6,3	1/4"	5	035 017 10	2,80	22	40 07157 31522 9
2	3"	E 6,3	1/4"	5	035 027 10	2,80	22	40 07157 31524 3
3	3"	E 6,3	1/4"	5	035 037 10	2,80	22	40 07157 31526 7

036 E 6,3



Torx	a				036	\$	g	EAN-Code
10	3"	E 6,3	1/4"	3	036 107 10	3,19	8	40 07157 30837 5
15	3"	E 6,3	1/4"	3	036 157 10	3,12	8	40 07157 30838 2
20	3"	E 6,3	1/4"	3	036 207 10	3,19	11	40 07157 30840 5
25	3"	E 6,3	1/4"	3	036 257 10	3,19	11	40 07157 30842 9
27	3"	E 6,3	1/4"	3	036 277 10	3,19	11	40 07157 30844 3
30	3"	E 6,3	1/4"	3	036 307 10	3,13	15	40 07157 30846 7
40	3"	E 6,3	1/4"	3	036 407 10	3,19	19	40 07157 30848 1

030 E 6,3



030

\$




EAN-Code

	a							
0,8 x 4,0	4"	E 6,3	1/4"	3	030 418 10	5,46	12	40 07157 30778 1
1,0 x 5,5	4"	E 6,3	1/4"	3	030 528 10	5,33	18	40 07157 30788 0
1,2 x 6,5	4"	E 6,3	1/4"	3	030 618 10	5,20	23	40 07157 30795 8
1,2 x 8,0	4"	E 6,3	1/4"	3	030 818 10	5,59	32	40 07157 30800 9

031 E 6,3



PZ



031

\$



EAN-Code

	a							
1	4"	E 6,3	1/4"	3	031 018 10	5,72	12	40 07157 30805 4
2	4"	E 6,3	1/4"	3	031 028 10	5,46	15	40 07157 30810 8
3	4"	E 6,3	1/4"	3	031 038 10	5,46	21	40 07157 30816 0

032 E 6,3



PH



032

\$



EAN-Code

	a							
1	4"	E 6,3	1/4"	3	032 018 10	4,73	15	40 07157 30822 1
2	4"	E 6,3	1/4"	3	032 028 10	4,51	21	40 07157 30828 3

031 E 6,3



PZ



031

\$




EAN-Code

	a							
1	6"	E 6,3	1/4"	3	031 019 10	6,63	21	40 07157 30752 1
2	6"	E 6,3	1/4"	3	031 029 10	6,37	32	40 07157 30812 2
3	6"	E 6,3	1/4"	3	031 039 10	6,37	37	40 07157 30817 7

032 E 6,3



PH



032

\$



EAN-Code

	a							
1	6"	E 6,3	1/4"	3	032 019 10	6,50	21	40 07157 30823 8
2	6"	E 6,3	1/4"	3	032 029 10	6,24	32	40 07157 30830 6



NEW!				391	\$		EAN-Code	
	Bit Display Standard (430 Bits)	1	391 400 90	611,51	2500	40 07157	52215 3	
	10 x 020 520 36 2 St./ pcs. 5,5 x 1,0 x 25 mm							
	10 x 020 610 36 2 St./ pcs. 6,5 x 1,2 x 25 mm							
	10 x 020 800 36 2 St./ pcs. 8,0 x 1,2 x 25 mm							
	10 x 021 010 36 2 St./ pcs. PZ 1 x 25 mm							
	10 x 021 020 36 2 St./ pcs. PZ 2 x 25 mm							
	10 x 021 030 36 2 St./ pcs. PZ 3 x 25 mm							
	10 x 021 932 16 3 x 1 St./pcs. PZ 1 / PZ 2 / PZ 3 x 25 mm							
	10 x 031 025 36 2 St./ pcs. PZ 2 x 50 mm							
	10 x 022 010 36 2 St./ pcs. PH 1 x 25 mm							
	10 x 022 020 36 2 St./ pcs. PH 2 x 25 mm							
	10 x 022 030 36 2 St./ pcs. PH 3 x 25 mm							
	10 x 022 931 16 3 x 1 St./pcs. PH 1 / PH 2 / PH 3 x 25 mm							
	10 x 032 025 36 2 St./ pcs. PH 2 x 50 mm							
	10 x 026 100 36 2 St./ pcs. TX 10 x 25 mm							
	10 x 026 150 36 2 St./ pcs. TX 15 x 25 mm							
	10 x 026 200 36 2 St./ pcs. TX 20 x 25 mm							
	10 x 026 250 36 2 St./ pcs. TX 25 x 25 mm							
	10 x 026 300 36 2 St./ pcs. TX 30 x 25 mm							
	10 x 026 400 36 2 St./ pcs. TX 40 x 25 mm							
	10 x 026 933 16 3 x 1 St./pcs. TX 15 / TX 20 / TX 25 x 25 mm							
	10 x 038 103 90 1 St./ pcs. Magnethalter E 6,3 1/4" x 60							

NEW!				391	\$		EAN-Code	
	Bit Display Profi (186 pcs)	1	391 700 90	717,14	1800	40 07157	52249 8	
	5 x 026 060 36 2 St./ pcs. TX 6 x 25 mm							
	5 x 026 080 36 2 St./ pcs. TX 8 x 25 mm							
	5 x 026 090 36 2 St./ pcs. TX 9 x 25 mm							
	5 x 036 931 16 3 x 1 St./pcs. TX 10 / TX 15 / TX 20 x 50mm							
	5 x 036 932 16 3 x 1 St./pcs. TX 20 / TX 25 / TX 30 x 50mm							
	5 x 024 250 36 2 St./ pcs. SW 2,5							
	5 x 024 300 36 2 St./ pcs. SW 3							
	5 x 024 400 36 2 St./ pcs. SW 4							
	5 x 024 500 36 2 St./ pcs. SW 5							
	5 x 024 600 36 2 St./ pcs. SW 6							
	5 x 024 800 36 2 St./ pcs. SW 8							
	5 x 032 931 16 3 x 1 St./pcs. PH 1 / PH 2 / PH 3 x 50mm							
	5 x 031 932 16 3 x 1 St./pcs. PZ 1 / PZ 2 / PZ 3 x 50mm							
	5 x 032 932 16 3 x 1 St./pcs. PH2 / PZ2 / 5,5x0,8 x 50mm							
	5 x 030 931 16 3 x 1 St./pcs. 3,5x0,6 / 5,5x0,8 / 6,5 x 1,2 x 50mm							
	5 x 038 109 96 1 St./ pcs. Magnethalter extra stark							
	5 x 038 165 96 1 St./ pcs. Star							
	5 x 037 103 96 1 St./ pcs. Mech. Bithalter							
	5 x 097 018 16 1 St./ pcs. 1/4" Adapter							
	5 x 097 013 16 1 St./ pcs. 1/4" Adapter							
	5 x 097 020 16 1 St./ pcs. 3/8" Adapter							

felo Star



»felo Star, a unique power-tool accessory in a distinctive design, providing decisive advantages to the industrial user.

- secure hold of screw = genuine one-hand operation
- automatic adjustment to depth of screw head
- quick and easy replacement of bits
- compact size

The result: work that is safer and more economical.

These assets, geared to complement each other perfectly, are only available from »felo.

The name: »felo Star

020**Diamond****020**

\$

**EAN-Code****AllStar Challenger Bit Box Universal C 6,3 x 25 mm**

10

020 901 86

51,87

165

40 07157 **50855 3****Felo Star + 10 Challenger Bits****020:** 2 x 1 1,0 x 5,5 / 1,2 x 6,5**021:** 3 x 1 PZ 2**021:** 1 x 1 PZ 3**022:** 3 x 1 PH 2**022:** 1 x 1 PH 3**038:** 1 x 1 Felo Star**TIN
020****020**

\$

**EAN-Code****AllStar TiN Bit Box Universal C 6,3 x 25 mm**

10

020 901 16

25,35

165

40 07157 **50793 8****Felo Star + 10 Bits****020:** 2 x 1 1,0 x 5,5 / 1,2 x 6,5**021:** 3 x 1 PZ 2**021:** 1 x 1 PZ 3**022:** 3 x 1 PH 2**022:** 1 x 1 PH 3**038:** 1 x 1 Felo Star**026****026**

\$

**EAN-Code****AllStar Bit Box Torx, C 6,3 x 25 mm**

10

026 901 16

31,98

165

40 07157 **50797 6****Felo Star + 10 Bits****026:** 4 x 1 Torx 20**026:** 2 x 1 Torx 25**026:** 1 x 1 Torx 27**026:** 2 x 1 Torx 30**026:** 1 x 1 Torx 40**038:** 1 x 1 Felo Star

020



020



EAN-Code



PH – PZ TiN Box Swift C 6,3 x 25 mm

10

020 603 76

11,77

75

40 07157 **51387 8**

6 TiN Bits + Magnetholder

021: 1 x 1 PZ 1 / PZ 2 / PZ 3

022: 1 x 1 PH 1 / PH 2 / PH 3

038: 1 x 1 Magnetholder



Box Swift C 6,3 x 25 mm

10

020 601 16

8,97

75

40 07157 **51391 5**

6 Bits + Magnetholder

020: 1 x 1 1,0 x 5,5 / 1,2 x 6,5

021: 1 x 1 PZ 1 / PZ 2

022: 1 x 1 PH 1 / PH 2

038: 1 x 1 Magnetholder



Torx Box Swift C 6,3 x 25 mm

10

020 603 16

12,48

75

40 07157 **51395 3**

6 Bits + Magnetholder

026: 6 x 1 Torx 10 / Torx 15 / Torx 20 /

Torx 25 / Torx 30 / Torx 40

038: 1 x 1 Magnetholder



Universal Swift Box C 6,3 x 25 mm

10

020 604 16

10,30

75

40 07157 **51923 8**

6 Bits + Magnetholder

020: 1 x 1 1,0 x 5,5 / 1,2 x 6,5

026: 1 x 1 T15 / T20

022: 1 x 1 PH 1 / PH 2



Torx – PH TIN Box Swift C 6,3 x 25 mm

10

020 607 76

14,10

75

40 07157 **51925 2**

6 Bits + Magnetholder

026: 1 x 1 T10 / T15 / T20

022: 1 x 1 PH 1 / PH 2 / PH 3



Torx TIN Box Swift C 6,3 x 25 mm

10

020 604 76

15,65

75

40 07157 **51389 2**

6 Bits + Magnetholder

026: 1 x 1 T10 / T15 / T20 / T25 / T30 / T40

020



020



EAN-Code

Universal / PH-TX TiN

020 375 00

436,00

2900

40 07157 **51929 8**

18 x 02060416 + 18 x 02060776

Torx / Torx TiN

020 376 00

510,00

2900

40 07157 **51931 8**

18 x 02060476 + 18 x 02060316

026



026



\$



EAN-Code

Felo Bit Box, C 6,3 x 25 mm

10

026 902 16

17,45

165

40 07157 **50851 5**

Magnetholder + 10 Bits

026: T6, T7, T8,
T9, T10, T15,
T20, T25, T30
T40

038: 1 x 1 Magnetholder

027



027



\$



EAN-Code

Felo Bit Box, C 6,3 x 25 mm

10

027 901 16

25,45

165

40 07157 **50853 9**

Magnetholder + 10 Bits

027: TR7, TR8, TR9,
TR10, TR15, TR20,
TR25, TR27, TR30,
TR40

038: 1 x 1 Magnetholder




038

\$



EAN-Code

FeloStar	2 3/4"	E 6,3	6	038 165 90	19,44	31	40 07157 50799 0
----------	--------	-------	---	------------	-------	----	------------------



538

\$



EAN-Code

Star Screwdriver handle	4"	99mm	34mm	6	538 100 40	22,04	123	40 07157 51397 7
-------------------------	----	------	------	---	------------	-------	-----	------------------

030



030



EAN-Code

Profi Bit Box, 6 Bits E 6,3 x 50 mm

10

030 915 16

9,69

120

40 07157 **31410** 9

030: 6 x 1 0,6 x 3,5 / 0,8 x 4,0 / 0,8 x 5,0 /
1,0 x 5,5 / 1,2 x 6,5 / 1,2 x 8,0

032



032



EAN-Code

Profi Bit Box, 6 Bits E 6,3 x 50 mm

10

032 915 16

9,95

120

40 07157 **31412** 3

031: 3 x 1 PZ 1 / PZ 2 / PZ 3
032: 3 x 1 PH 1 / PH 2 / PH 3

036



036



EAN-Code

Profi Bit Box, 6 Bits E 6,3 x 50 mm

10

036 915 16

12,95

120

40 07157 **31419** 2

036: 6 x 1 Torx 10 / Torx 15 / Torx 20 / Torx 25 /
Torx 30 / Torx 40

032



032



EAN-Code

Profi Bit Box, 6 Bits E 6,3 x 50 mm

10

032 916 16

9,75

120

40 07157 **51927** 6

030: 3 x 1 0,6 x 3,5 / 0,8 x 4,0 / 0,8 x 5,0
032: 3 x 1 PH 1 / PH 2 / PH 3

020



020



EAN-Code



Bit Box, 25 Bits + Magnetic Bitholder C 6,3 x 25 mm		6	020 026 16	24,78	196	40 07157 50801 0
026:	10 x 1	Torx 06 / Torx 08 / Torx 09 / Torx 10 / Torx 15 / Torx 20 / Torx 25 / Torx 27 / Torx 30 / Torx 40				
021:	3 x 1	PZ1 / PZ2 / PZ3				
022:	3 x 1	PH1 / PH2 / PH3				
020:	3 x 1	0,8 x 4,0 / 1,0 x 5,5 / 1,2 x 6,5				
024:	6 x 1	SW 2,0 / SW 2,5 / SW 3,0 / SW 4,0 / SW 5,0 / SW 6,0				
038:	1 x 1	Magnethalter 60 mm				

026



026



EAN-Code



Torx-Box, 25 Bits + Magnetic Bitholder C 6,3 x 25 mm		6	026 026 16	26,94	196	40 07157 50803 4
026:	4 x 1	Torx 05 / Torx 08 / Torx 09 / Torx 27				
	2 x 2	Torx 06 / Torx 10				
	3 x 3	Torx 15 / Torx 30 / Torx 40				
	2 x 4	Torx 20 / Torx 25				
038:	1 x 1	Magnethalter 60 mm				

057



057



EAN-Code



1/4" Nut-Box, 8 Nutdrivers + Adapter		6	057 981 06	12,00	170	40 07157 22198 8
	8 x 1	4 mm / 5 mm / 5,5 mm / 6 mm / 7 mm 8 mm / 10 mm / 13 mm				
097:	1 x 1	Adapter (Art.No. 097 013 10)				

020



020



EAN-Code



2 x	C 6,3 x 25 mm	0,6 x 3,5 mm	10	020 310 36	1,92	16	40 07157 10263 8
2 x	C 6,3 x 25 mm	0,8 x 4,0 mm	10	020 410 36	1,80	17	40 07157 10264 5
2 x	C 6,3 x 25 mm	1,0 x 5,5 mm	10	020 520 36	1,80	19	40 07157 10265 2
2 x	C 6,3 x 25 mm	1,2 x 6,5 mm	10	020 610 36	2,24	20	40 07157 10266 9
2 x	C 6,3 x 25 mm	1,2 x 8,0 mm	10	020 800 36	2,46	22	40 07157 10267 6
3 x 1	C 6,3 x 25 mm	0,6 x 3,5 / 0,8 x 4,0 / 1,0 x 5,5	10	020 931 16	2,52	22	40 07157 10278 2
3 x 1	C 6,3 x 25 mm	1,0 x 6,0 / 1,2 x 6,5 / 1,2 x 8,0	10	020 932 16	2,70	25	40 07157 10279 9
3 x 1	E 6,3 x 50 mm	3,5 x 0,6 / 5,5 x 0,8 / 6,5 x 1,2	10	030 931 16	5,75	38	40 07157 52239 9



2 x	C 6,3 x 25 mm	PZ 1	10	021 010 36	1,54	16	40 07157 10275 1
2 x	C 6,3 x 25 mm	PZ 2	10	021 020 36	1,54	17	40 07157 10276 8
2 x	C 6,3 x 25 mm	PZ 3	10	021 030 36	1,54	18	40 07157 10277 5
3 x 1	C 6,3 x 25 mm	PZ 1 / PZ 2 / PZ 3	10	021 932 16	2,09	22	40 07157 10281 2
2 x	E 6,3 x 50 mm	PZ 2	10	031 025 36	3,30	28	40 07157 10287 4
3 x 1	E 6,3 x 50 mm	PZ 1 / PZ 2 / PZ 3	10	031 932 16	6,54	30	40 07157 31306 5



2 x	C 6,3 x 25 mm	PH 1	10	022 010 36	1,49	16	40 07157 10270 6
2 x	C 6,3 x 25 mm	PH 2	10	022 020 36	1,49	17	40 07157 10271 3
2 x	C 6,3 x 25 mm	PH3	10	022 030 36	1,49	18	40 07157 10272 0
3 x 1	C 6,3 x 25 mm	PH 1 / PH 2 / PH 3	10	022 931 16	2,04	22	40 07157 10280 5
2 x	E 6,3 x 50 mm	PH 2	10	032 025 36	3,18	28	40 07157 10286 7
3 x 1	E 6,3 x 50 mm	PH 1 / PH 2 / PH 3	10	032 931 16	6,11	30	40 07157 31305 8



NEW!	2 x	C 6,3 x 25 mm	SW 2,5	10	024 250 36	3,88	13	40 07157 31882 4
NEW!	2 x	C 6,3 x 25 mm	SW 3	10	024 300 36	3,88	13	40 07157 31884 8
NEW!	2 x	C 6,3 x 25 mm	SW 4	10	024 400 36	3,74	13	40 07157 31886 2
NEW!	2 x	C 6,3 x 25 mm	SW 5	10	024 500 36	3,74	15	40 07157 10291 1
NEW!	2 x	C 6,3 x 25 mm	SW 6	10	024 600 36	3,59	15	40 07157 10290 4
NEW!	2 x	C 6,3 x 25 mm	SW 8	10	024 800 36	4,53	17	40 07157 31888 6




2 x	C 6,3 x 25 mm	Torx 6	10	026 060 36	3,41	13	40 07157 10303 1
2 x	C 6,3 x 25 mm	Torx 7	10	026 070 36	3,41	13	40 07157 10302 4
2 x	C 6,3 x 25 mm	Torx 8	10	026 080 36	3,30	14	40 07157 10301 7
2 x	C 6,3 x 25 mm	Torx 9	10	026 090 36	3,30	14	40 07157 10300 0
2 x	C 6,3 x 25 mm	Torx 10	10	026 100 36	2,59	15	40 07157 10299 7
2 x	C 6,3 x 25 mm	Torx 15	10	026 150 36	2,48	15	40 07157 10298 0
2 x	C 6,3 x 25 mm	Torx 20	10	026 200 36	2,47	16	40 07157 10297 3
2 x	C 6,3 x 25 mm	Torx 25	10	026 250 36	2,47	18	40 07157 10296 6
2 x	C 6,3 x 25 mm	Torx 27	10	026 270 36	2,47	19	40 07157 10295 9
2 x	C 6,3 x 25 mm	Torx 30	10	026 300 36	2,47	20	40 07157 10294 2
2 x	C 6,3 x 25 mm	Torx 40	10	026 400 36	2,90	23	40 07157 22194 0
2 x	C 6,3 x 25 mm	Torx 45	10	026 450 36	4,80	26	40 07157 50134 9
3 x 1	C 6,3 x 25 mm	TX15 / TX20 / TX25	10	036 933 16	4,60	22	40 07157 52157 6
3 x 1	C 6,3 x 25 mm	TX10 / TX15 / TX20	10	036 931 16	8,91	40	40 07157 52243 6
3 x 1	C 6,3 x 25 mm	TX20 / TX25 / TX30	10	036 932 16	8,91	42	40 07157 52241 2
3 x 1	C 6,3 x 50 mm	PH 2 / PZ 2 / 5,5 x 0,8	10	032 932 16	5,75	41	40 07157 52245 0

039
E 6,3



SW



a



039

\$




EAN-Code

5	$2\frac{3}{4}"$	E 6,3	$1/4"$	5	039 050 10	11,70	36	40 07157 50404 3
6	$2\frac{3}{4}"$	E 6,3	$1/4"$	5	039 060 10	11,88	36	40 07157 50406 7
7	$2\frac{3}{4}"$	E 6,3	$1/4"$	5	039 070 10	11,88	37	40 07157 51373 1
8	$2\frac{3}{4}"$	E 6,3	$1/4"$	5	039 080 10	11,88	37	40 07157 50408 1
10	$2\frac{3}{4}"$	E 6,3	$1/4"$	5	039 100 10	12,60	38	40 07157 50410 4

039
E 6,3



SW



a



039

\$



EAN-Code

5/16"	$2\frac{3}{4}"$	E 6,3	$1/4"$	5	039 516 10	14,40	37	40 07157 50414 2
3/8"	$2\frac{3}{4}"$	E 6,3	$1/4"$	5	039 038 10	14,40	38	40 07157 50416 6

038



a



038


\$



EAN-Code

Magnetholder	$1\frac{3}{4}"$	E 6,3	$1/4"$	6	038 109 90	4,20	20	40 07157 30850 4
extra strong	$2\frac{3}{8}"$	E 6,3	$1/4"$	6	038 103 90	3,18	30	40 07157 30340 0

058



a



058

\$



EAN-Code

Magnetholder	$3\frac{3}{4}"$	SDS		6	058 102 90	13,08	62	40 07157 30978 5
---------------------	-----------------	-----	--	---	------------	--------------	----	-------------------------

097



097



\$



EAN-Code

Adapter	2"	1/4"	E 6,3	6	097 013 10	4,20	15	40 07157 30481 0
---------	----	------	-------	---	------------	------	----	------------------

097



097

\$



EAN-Code

Adapter	2"	3/8"	E 6,3	6	097 020 10	6,66	22	40 07157 30489 6
---------	----	------	-------	---	------------	------	----	------------------




348



Blade: **CMV-BC**



Torx



a



348

\$



EAN-Code

Torx	a						
6	1 5/8"	2,5 mm	12	348 006 00	1,95	2	40 07157 30742 2
7	2"	2,5 mm	12	348 007 00	1,95	2	40 07157 30743 9
8	2"	2,5 mm	12	348 008 00	1,95	2	40 07157 30744 6
9	2"	3,0 mm	12	348 009 00	1,95	3	40 07157 30745 3
10	3 3/8"	4,0 mm	12	348 010 00	1,95	10	40 07157 26054 3
15	3 1/2"	4,0 mm	12	348 015 00	1,95	11	40 07157 26055 0
20	3 3/4"	5,0 mm	12	348 020 00	1,95	17	40 07157 26056 7
25	4"	5,0 mm	12	348 025 00	1,95	18	40 07157 26057 4
27	4 1/8"	6,0 mm	12	348 027 00	1,95	27	40 07157 26058 1
30	4 1/2"	6,0 mm	12	348 030 00	2,60	31	40 07157 26059 8
40	5"	8,0 mm	12	348 040 00	3,30	60	40 07157 26060 4
45	5 1/4"	8,0 mm	12	348 045 00	3,80	65	40 07157 26061 1
50	6"	9,0 mm	12	348 050 00	4,55	88	40 07157 30746 0
55	6 3/4"	12,0 mm	12	348 055 00	6,20	117	40 07157 30747 7
60	7 1/2"	13,5 mm	12	348 060 00	7,80	268	40 07157 30748 4

348



8 x



348

\$



EAN-Code



Set 8 pcs.

348: 8 x 1" Torx 6 / Torx 7 / Torx 8 / Torx 9 /
Torx 10 / Torx 15 / Torx 20 / Torx 25

348 802 04

14,95

140

40 07157 **50975** 8



Set 8 pcs.

348: 8 x 1" Torx 9 / Torx 10 / Torx 15 / Torx 20 /
Torx 25 / Torx 27 / Torx 30 / Torx 40

348 801 04

16,95

140

40 07157 **31660** 8